EVIDENCE REVIEW COMPLETE ARTICLE LIST

- Addy, C.L., Wilson, D.K., Kirtland, K.A., Ainsworth, B.E., Sharpe, P., and Kimsey, D. (2004). Associations of perceived social and physical environmental supports with physical activity and walking behavior. *American Journal of Public Health*. 94(3): 440-3.
- Adkins, S., Sherwood, N. E., Story, M., & Davis, M. (2004). Physical activity among African-American girls: the role of parents and the home environment. *Obesity Research*. 12 Suppl:38S-45S.
- 3 Ahamed, Y., Macdonald, H., Reed, K., Naylor, P., Liu-Amborse, T., McKay, H. (2007). School-based physical activity does not compromise children's academic performance. *Medicine and Science in Sports and Exercise.* 39(2): 371-376.
- 4 Ainsworth, B.E., Wilcox, S., Thompson, W. W., Richter, D. L., & Henderson, K. A. (2003). Personal, social, and physical environmental correlates of physical activity in African-American women in South Carolina. *American Journal of Preventive Medicine*. 25(3 Suppl 1):23-9.
- 5 Alhassan, S. & Robinson, T.N. (2008). Objectively measured physical activity and cardiovascular disease risk factors in African American girls. *Ethnicity and Disease*. 18(4): 421-426.
- 6 Ammerman, A. S., Ward, D. S., Benjamin, S. E., Ball, S. C., Sommers, J. K., Molloy, M., & Dodds, J. M. (2007). An intervention to promote healthy weight: Nutrition and Physical Activity Self-Assessment for Child Care (NAP SACC) theory and design. *Preventing Chronic Disease*. 4(3): A67.
- Anderson, J.V., Bybee, D.I., Brown, R.M., McLean, D.F., Garcia, E.M., Breer, M.L., and Schillo, B.A. (2001). 5 a day fruit and vegetable intervention improves consumption in a low income population. *Journal of the American Dietetic Association*. 101(2): 195-202.
- 8 Angelopoulos, P.D., Milionis, H.J., Grammatikaki, E., Moschonis, G., Manios, Y. (2009). Changes in BMI and blood pressure after a school based intervention: the CHILDREN study. *European Journal of Public Health*. 19(3):319-25.
- 9 Ard J.D., Fitzpatrick S, Desmond R.A., Sutton, B.S., Pisu, M., Allison, D.B., Franklin, F., and Baskin, M.L. (2007). The impact of cost on the availability of fruits and vegetables in the homes of schoolchildren in Birmingham, Alabama. *American Journal of Public Health*. 97(2):367-372.
- Ashfield-Watt, P., Stewart, E., and Scheffer, J. (2008). A Pilot Study of the Effect of Providing daily free fruit to primary-school children in Auckland, New Zealand. *Public Health Nutrition*. 12(5): 693-701.
- 11 Ask, A.S., Hernes, S., Aarek, I., Johannessen, G., and Haugen, M. (2006). Changes in dietary pattern in 15 year old adolescents following a 4 month dietary intervention with school breakfast--a pilot study. *Nutrition Journal.* 5(33).
- Atkinson, J.L., Sallis, J. F., Saelens, B. E., Cain, K. L., & Black, J. B. (2005). The association of neighborhood design and recreational environments with physical activity. *American Journal of Health Promotion*. 19(4):304-9.

- Aytur, S.A., Rodriguez, D.A., Evenson, K.R., and Catellier, D.J. (2008). Urban containment policies and physical activity. A time-series analysis of metropolitan areas, 1990-2002. American Journal of Preventive Medicine. 34(4): 320-32.
- Aytur, S.A., Rodriguez, D.A., Evenson, K.R., Catellier, D.J., and Rosamond, W.D. (2007). Promoting active community environments through land use and transportation planning. *American Journal of Health Promotion*. 21(4 Suppl): 397-407.
- Babey, S.H., Hastert, T. A., Huang, W., & Brown, E. R. (2009). Sociodemographic, Family, and Environmental Factors Associated with Active Commuting to School among US Adolescents. *Journal of Public Health Policy*. 30:S203-S220.
- Babey, S.H., Hastert, T.A., Yu, H., & Brown, E.R. (2008). Physical Activity Among Adolescents: When Do Parks Matter? *American Journal of Preventive Medicine*. 34(4): 345-348.
- 17 Ball, K., Bauman, A., Leslie, E., & Owen, N. (2001). Perceived environmental aesthetics and convenience and company are associated with walking for exercise among Australian adults. *Preventive Medicine*.33(5):434-40.
- Barbeau, P., Johnson, M. H., Howe, C. A., Allison, J., Davis, C. L., Gutin, B., & Lemmon, C.R. (2007). Ten months of exercise improves general and visceral adiposity, bone, and fitness in black girls. *Obesity (Silver Spring)*. 15(8): 2077-85.
- Bartholomew, J.B. and Jowers, E.M. (2006). Increasing frequency of lower-fat entrees offered at school lunch: An environmental change strategy to increase healthful selections. *Journal of the American Dietetic Association*. 106(2): 248-252.
- Bassett, M.T., Dumanovsky, T., Huang, C., Silver, L.D., Young, C., Nonas, C., Matte, T.D., Chideya, S., and Frieden, T.R. (2008). Purchasing behavior and calorie information at fast-food chains in New York City, 2007. American Journal of Public Health. 98(8): 1457-1459.
- 21 Bayer, O., von Kries, R., Strauss, A., Mitschek, C., Toschke, A.M., Hose, A., et al. (2009). Short- and mid-term effects of a setting based prevention program to reduce obesity risk factors in children: a cluster-randomized trial. *Clinical Nutrition*. 28(2):122-8.
- Bayne-Smith, M., Fardy, P., Azzollini, A., Magel, J., Schmitz, K., Agin, D. (2004).

 Improvements in heart health behaviors and reduction in coronary artery disease risk factors in urban teenaged girls through a school-based intervention: the PATH program.

 American Journal of Public Health. 94(9): 1538-43.
- Belansky, E.S., Cutforth, N., Delong, E., Ross, C., Scarbro, S., Gilbert, L., et al. (2009). Early Impact of the Federally Mandated Local Wellness Policy on Physical Activity in Rural, Low-Income Elementary Schools in Colorado. *Journal of Public Health Policy*. 30:S141-S160.
- 24 Bell, J.F., Wilson, J.S., Liu, G.C. (2008). Neighborhood greenness and 2-year changes in body mass index of children and youth. *American Journal of Preventive Medicine*.35(6):547-53.

- Benjamin, S.E., Ammerman, A., Sommers, J., Dodds, J., Neelon, B., and Ward, D.S. (2007). Nutrition and physical activity self-assessment for child care (NAP SACC): Results from a pilot intervention. *Journal of Nutrition Education and Behavior*. 39(3): 142-149.
- Bennett, G. G., McNeill, L. H., Wolin, K. Y., Duncan, D. T., Puleo, E., & Emmons, K. M. (2007). Safe to walk? Neighborhood safety and physical activity among public housing residents. *PLoS Medicine*. 4(10): 1599-606; discussion 1607.
- Bere, E., Veierod, M.B., and Klepp, K. (2005). The Norwegian School Fruit Programme: Evaluating paid vs. no-cost subscriptions. *Preventive Medicine*. 41(2): 463-470.
- Bere, E., Veierod, M.B., Bjelland, M., and Klepp, K. (2006). Free school fruit--sustained effect 1 year later. *Health Education Research*. 21(2): 268-275.
- Bere, E., Veierod, M.B., Bjelland, M., and Klepp, K. (2006). Outcome and process evaluation of a Norwegian school-randomized fruit and vegetable intervention: Fruits and Vegetables Make the Marks (FVMM). *Health Education Research*. 21(2): 258-267.
- Bere, E., Veierod, M.B., Skare, O., and Klepp, K. (2007). Free school fruit--sustained effect three years later. *International Journal of Behavioral Nutrition and Physical Activity*. 4(5).
- Berrigan, D. and Troiano, R.P. (2002). The association between urban form and physical activity in U.S. adults. *American Journal of Preventive Medicine*. 23(2 Suppl): 74-9.
- Beydoun, M.A., Powell, L.M., and Wang, Y. (2008). The association of fast food, fruit and vegetable prices with dietary intakes among US adults: Is there modification by family income? *Social Science and Medicine*. 66: 2218-2229.
- Birnbaum, A.S., Lytle, L.A., Story, M., Perry, C.L., and Murray, D.M. (2002). Are differences in exposure to a multicomponent school-based intervention associated with varying dietary outcomes in adolescents? *Health Education and Behavior*. 29(4): 427-443.
- Bjork, J., Albin, M., Grahn, P., Jacobsson, H., Ardo, J., Wadbro, J., et al. (2008).

 Recreational values of the natural environment in relation to neighbourhood satisfaction, physical activity, obesity and wellbeing. *Journal of Epidemiology and Community Health*.62(4):e2.
- Blom-Hoffman, J. (2008). School-based promotion of fruit and vegetable consumption in multiculturally diverse, urban schools. *Psychology in the*
- 36 Blum, J.E., Davee, A.M., Beaudoin, C.M., Jenkins, P.L., Kaley, L.A., and Wigand, D.A. (2008). Reduced availability of sugar-sweetened beverages and diet soda has a limited impact on beverage consumption patterns in Maine high school youth. *Journal of Nutrition Education and Behavior.* 40(6): 341-347.
- 37 Blum, J.E., Davee, A.M., Devore, R.L., Beaudoin, C.M., Jenkins, P.L., Kaley, L.A., and Wigand, D.A. (2007). Implementation of low-fat, low-sugar, and portion-controlled nutrition guidelines in competitive food venues of Maine public high schools. *Journal of School Health*. 77(10): 687-693.
- 38 Boarnet, M.G., Anderson, C.L., Day, K., McMillan, T., and Alfonzo, M. (2005). Evaluation of the California Safe Routes to School legislation: Urban form changes and children's

- active transportation to school. *American Journal of Preventive Medicine*. 28(2 Suppl 2): 134-140.
- 39 Boarnet, M.G., Day, K., Anderson, C.L., McMillan, T., and Alfonzo, M. (2005). California's Safe Routes to School Program: Impacts on walking, bicycling, and pedestrian safety. *Journal of the American Planning Association*. 71(3): 301-317.
- 40 Bodor, J.N., Rose, D., Farley, T.A., Swalm, C., and Scott, S.K. (2008). Neighbourhood fruit and vegetable availability and consumption: The role of small food stores in an urban environment. *Public Health Nutri*tion. 11(4): 413-420.
- Boehmer, T.K., Lovegreen, S.L., Haire-Joshu, D., and Brownson, R. (2006). What constitutes an obesogenic environment in rural communities? *The Science of Health Promotion*. 20(6): 411-421.
- Boer, R., Zheng, Y., Overton, A., Ridgeway, G.K., and Cohen, D.A. (2007). Neighborhood design and walking trips in ten U.S. metropolitan areas. *American Journal of Preventive Medicine*. 32(4): 298-304.
- 43 Bollella, M., Boccia, L.A., Nicklas, T.A., Lefkowitz, K.B., Pittman, B.P., Zang, E.A., and Williams, C.L. (1999). Assessing dietary intake in preschool children: The Healthy Start Project-New York. *Nutrition Research*. 19(1): 37-48.
- 44 Bollella, M.C., Spark, A., Boccia, L.A., Nicklas, T.A., Pittman, B.P., and Williams, C.L. (1999). Nutrient intake of Head Start children: Home vs. school. *Journal of the American College of Nutrition*. 18(2):108-114.
- Bonhauser, M., Fernandez, G., Puschel, K., Yanez, F., Montero, J., Thompson, B., Coronado, G. (2005). Improving physical fitness and emotional well-being in adolescents of low socioeconomic status in Chile: results of a school-based controlled trial. *Health Promotion International*. 20(2): 113-22.
- Boutelle, K.N., Jeffery, R.W., Murray, D.M., and Schmitz, M.K.H. (2001). Using signs, artwork, and music to promote stair use in a public building. *American Journal of Public Health*. 91(12): 2004-2006.
- 47 Briefel, R.R., Crepinsek, M.K., Cabili, C., Wilson, A., and Gleason, P.M. (2009). School food environments and practices affect dietary behaviors of US public school children. *Journal of the American Dietetic Association*. 109(2 Suppl): S91-107.
- Briefel, R.R., Wilson, A., and Gleason, P.M. (2009). Consumption of low-nutrient, energy-dense foods and beverages at school, home, and other locations among school lunch participants and nonparticipants. *Journal of the American Dietetic Association*. 109(2 Suppl): S79-90.
- 49 Brodersen, N. H., Steptoe, A., Williamson, S., and Wardle, J. (2005). Sociodemographic, developmental, environmental, and psychological correlates of physical activity and sedentary behavior at age 11 to 12. *Annals of Behavioral Medicine*. 29(1): 2-11.
- Brown, A. L., Khattak, A. J., Rodriguez, D.A. (2008). Neighborhood types, travel and body mass: A study of new urbanist and suburban neighborhoods in the US. *Urban Studies*.

- 45(4): 963-988.
- Brown, B.B. and Werner, C.M. (2007). A new rail stop: Tracking moderate physical activity bouts and ridership. *American Journal of Preventive Medicine*. 33(4): 306-309.
- Brown, H.S., Perez, A., Li, Y.P., Hoelscher, D.M., Kelder, S.H., Rivera, R. (2007). The costeffectiveness of a school-based overweight program. *International Journal of Behavioral Nutrition and Physical Activity.* 4(47).
- Brownson, R.C., Baker, E.A., Boyd, R.L., Caito, N.M., Duggan, K., Housemann, R.A., Kreuter, M.W., Mitchell, T., Motton, F., Pulley, C., Schmid, T.L., and Walton, D. (2004). A community-based approach to promoting walking in rural areas. *American Journal of Preventive Medicine*. 27(1): 28-34.
- Brownson, R.C., Baker, E.A., Housemann, R.A., Brennan, L.K., Bacak, S.J. (2001). Environmental and policy determinants of physical activity in the United States. *American Journal of Public Health*. 91(12):1995-2003.
- Brownson, R.C., Housemann, R. A., Brown, D. R., Jackson-Thompson, J., King, A. C., Malone, B. R., & Sallis, J. F. (2000). Promoting physical activity in rural communities: walking trail access, use, and effects. *American Journal of Preventive Medicine*. 18(3):235-41.
- Bungum, T.J., Lounsbery, M., Moonie, S., Gast, J. (2009). Prevalence and correlates of walking and biking to school among adolescents. Journal of Community Health. 34(2):129-34.
- 57 Burdette, H. L., & Whitaker, R. C. (2005). A national study of neighborhood safety, outdoor play, television viewing, and obesity in preschool children. *Pediatrics*. 116(3): 657-62.
- Burdette, H.L. and Whitaker, R.C. (2004). Neighborhood playgrounds, fast food restaurants, and crime: Relationships to overweight in low-income preschool children. *Preventive Medicine*. 38(1): 57-63.
- Burton, N.W., Turrell, G., Oldenburg, B., Sallis, J. (2005). The Relative Contributions of Psychological, Social, and Environmental Variables to Explain Participation in Walking, Moderate-, and Vigorous-Intensity Leisure-Time Physical Activity. *Journal of Physical Activity and Health.* 2:181-196.
- Caballero, B., Clay, T., Davis, S.M., Ethelbah, B., Rock, B.H., Lohman, T., et al. (2003).
 Pathways: a school-based, randomized controlled trial for the prevention of obesity in American Indian schoolchildren. *American Journal of Clinical Nutrition*. 78(5):1030-8.
- 61 Cardon, G., Labarque, V., Smits, D., & De Bourdeaudhuij, I. (2009). Promoting physical activity at the pre-school playground: The effects of providing markings and play equipment. *Preventive Medicine*. 48: 335-340.
- 62 Carnegie, M. A., Bauman, A., Marshall, A. L., Mohsin, M., Westley-Wise, V., & Booth, M. L. (2002). Perceptions of the physical environment, stage of change for physical activity, and walking among Australian adults. *Research Quarterly for Exercise and Sport.* 73(2): 146-55.

- Carver, A., Salmon, J., Campbell, K., Baur, L., Garnett, S., Crawford, D. (2005). How Do Perceptions of Local Neighborhood Relate to Adolescents' Walking and Cycling? *The Science of Health Promotion*. 20(2):139-147.
- 64 Carver, A., Timperio, A., Crawford, D. (2008). Perceptions of neighborhood safety and physical activity among youth: the CLAN study. *Journal of Physical Activity and Health*. 5(3): 430-44.
- 65 Carver, A., Timperio, A.F., Crawford, D.A. (2008). Neighborhood road environments and physical activity among youth: the CLAN study. *Journal of Urban Health*. 85(4):532-44.
- 66 Cass, Y., Price, P. (2003). Moorefit--increasing physical activity in adolescent girls using the Health Promoting Schools framework. *Health Promotion Journal of Australia*. 14(3).
- 67 Cassady, D., Vogt, R., Oto-Kent, D., Mosley, R., Lincoln, R. (2006). The power of policy: A case study of healthy eating among children. *American Journal of Public Health.* 96(9): 1570-1571.
- 68 Catlin, T.K., Simoes, E. J., & Brownson, R. C. (2003). Environmental and policy factors associated with overweight among adults in Missouri. *American Journal of Health Promotion*. 17(4):249-58.
- 69 Cawley, J., Meyerhoefer, C., Newhouse, D. (2007). The impact of state physical education requirements on youth physical activity and overweight. *Journal of Health Economics*. 16(12): 1287-301.
- 70 Cervero, R. (2002). Built environments and mode choice: Toward a normative framework. *Transportation Research Part D.* 7: 265-284.
- 71 Cervero, R. and Duncan, M. (2003). Walking, bicycling, and urban landscapes: Evidence from the San Francisco Bay Area. *American Journal of Public Health*.93(9): 1478-83.
- 72 Champouxt, T., Chan, H., Rosen R., Marquart L., and Reicks, M. (2007). Healthy whole-grain choices for children and parents: A multi-component school-based pilot intervention. *Public Health Nutrition*. 11(8): 849-859.
- 73 Chatman, D.G. (2003). How density and mixed uses at the workplace affect personal commercial travel and commute mode choice. *Transportation Research Record; Journal of the Transportation Research Board.* 1831:193-201.
- 74 Chen, C., Gong, H., and Paaswell, R. (2008). Role of the built environment on mode choice decisions: Additional evidence on the impact of density. *Transportation*. 35: 285-299.
- 75 Choy, L. B., McGurk, M. D., Tamashiro, R., Nett, B., & Maddock, J. (2008). "Increasing access to places for physical activity through a joint use agreement: a case study in urban Honolulu." *Preventing Chronic Disease.* 5(3): A91.
- Clark, M.A. and Fox, M.K. (2009). Nutritional quality of the diets of US public school children and the role of the school meal programs. *Journal of the American Dietetic Association*. 109(2 Suppl): S44-56.

- 77 Cleland, V., Dwyer, T., Blizzard, L., Venn, A. (2008). The provision of compulsory school physical activity: Associations with physical activity, fitness and overweight in childhood and twenty years later. *International Journal of Behavioral Nutrition and Physical Activity*. 5: 14.
- Cohen, D.A., Ashwood, J.S., Scott, M.M., Overton, A., Evenson, K.R., Staten, L.K., et al. (2006). Public parks and physical activity among adolescent girls. *Pediatrics*. 118(5):e1381-9.
- 79 Cohen, D.A., McKenzie, T. L., Sehgal, A., Williamson, S., Golinelli, D., & Lurie, N. (2007). Contribution of public parks to physical activity. *American Journal of Public Health*. 97(3):509-14.
- 80 Cohen, D.A., Sehgal, A., Williamson, S., Marsh, T., Golinelli, D., and McKenzie, T.L. (2009).

 New recreational facilities for the young and the old in Los Angeles: Policy and programming implications. *Journal of Public Health Policy*. 30: S248-S263.
- 81 Colabianchi, N., Kinsella, A., Coulton, C., Moore, S. (2009). Utilization and physical activity levels at renovated and unrenovated school playgrounds. *Preventive Medicine* 48: 140-143.
- 82 Coleman, K.J. and Gonzalez, E.C. (2001). Promoting stair use in a US-Mexico border community. *American Journal of Public Health*. 91(12): 2007-2009.
- 83 Coleman, K.J., Tiller, C.L., Sanchez, J., Heath, E.M., Sy, O., Milliken, G., et al. (2005). Prevention of the epidemic increase in child risk of overweight in low-income schools: the El Paso coordinated approach to child health. *Archives of Pediatric and Adolescent Medicine*. 159(3):217-24.
- Condon, E.M., Crepinsek, M.K., and Fox, M.K. (2009). School meals: types of foods offered to and consumed by children at lunch and breakfast. *Journal of the American Dietetic Association*. 109(2 Suppl): S67-78.
- 85 Coogan, M.A., Karash, K.H., Adler, T., and Sallis, J. (2007). The role of personal values, urban form, and auto availability in the analysis of walking for transportation. *American Journal of Health Promotion*. 21(4 Suppl): 363-70.
- 86 Cotts, T.B., Duressel-Weston, J.E., Goldberg, C.S., Palma-Davis, L.M., Aaronson, S.M., Eagle, K.A. (2007). Project healthy schools: a school based health education program to prevent childhood obesity. *Agro Food Industry Hi-Tech*. 32(5).
- 87 Cotts, T.B., Goldberg, C.S., Palma Davis, L.M., Durussel-Weston, J.E., Aaronson, S.M., Lin, K., et al. (2008). A school-based health education program can improve cholesterol values for middle school students. *Pediatric Cardiology*. 29(5):940-5.
- 88 Cradock, A., Melly, S., Allen, J., Morris, J., Gortmaker, S. (2007). Characteristics of school campuses and physical activity among youth. *American Journal of Preventive Medicine*. 33(2): 106-113.
- 89 Craig, C.L., Brownson, R. C., Cragg, S. E., & Dunn, A.L. (2002). Exploring the effect of the environment on physical activity: A study examining walking to work. *American Journal*

- of Preventive Medicine. 23(2S):36-43.
- 90 Crawford, D.A., Timperio, A.F., Salmon, J.A., Baur, L., Giles-Corti, B., Roberts, R.J., Jackson, M.L., Andrianopoulos, N., and Ball, K. (2008). Neighbourhood fast food outlets and obesity in children and adults: The CLAN Study. *International Journal of Pediatric Obesity*. 3(4): 249-256.
- 91 Crepinsek, M.K., Gordon, A.R., McKinney, P.M., Condon, E.M., and Wilson, A. (2009).

 Meals offered and served in US public schools: Do they meet nutrient standards?

 Journal of the American Dietetic Association. 109(2 Suppl): S31-43.
- 92 Cullen, K.W. and Thompson, D.I. (2005). Texas school food policy changes related to middle school a la carte/snack bar foods: Potential savings in kilocalories. *Journal of the American Dietetic Association*. 105(12): 1952-1954.
- 93 Cullen, K.W. and Watson, K. (2009). The Impact of the Texas Public School Nutrition Policy on student food selection and sales in Texas. *American Journal of Public Health*. 99(4): 1-7.
- 94 Cullen, K.W. and Zakeri, I. (2004). Fruits, vegetables, milk, and sweetened beverages consumption and access to a la carte/snack bar meals at school. *American Journal of Public Health*. 94(3): 463-467.
- 95 Cullen, K.W., Eagan, J., Baranowski, T., Owens, E., and De Moor, C. (2000). Effect of a la carte and snack bar foods at school on children's lunchtime intake of fruits and vegetables. *Journal of the American Dietetic Association*. 100(12): 1482-1486.
- 96 Cullen, K.W., Hartstein, J., Reynolds, K.D., Vu, M., Resnicow, K., Greene, N., and White, M.A. (2007). Improving the school food environment: Results from a pilot study in middle schools. *Journal of the American Dietetic Association*. 107(3): 484-489.
- 97 Cullen, K.W., Watson, K., and Zakeri, I. (2008). Improvements in middle school student dietary intake after implementation of the Texas Public School Nutrition Policy. *American Journal of Public Health.* 98(1): 111-117.
- 98 Cullen, K.W., Watson, K., Zakeri, I., and Ralston, K. (2006). Exploring changes in middleschool student lunch consumption after local school food service policy modifications. *Public Health Nutrition*. 9(6): 814-820.
- 99 Cummins, S., Petticrew, M., Higgins, C., Findlay, A., and Sparks, L. (2005). Large scale food retailing as an intervention for diet and health: Quasi-experimental evaluation of a natural experiment. *Journal of Epidemiology and Community Health*. 59: 1035-1040.
- 100 Cunningham-Sabo, L., Snyder, M.P., Anliker, J., Thompson, J., Weber, J.L., Thomas, O., et al. (2003). Impact of the Pathways food service intervention on breakfast served in American-Indian schools. *Preventive Medicine*. 37(6 Pt 2):S46-54.
- 101 Curran, S., Gittelsohn, J., Anliker, J., Ethelbah, B., Blake, K., Sharma, S., and Caballero, B. (2005). Process evaluation of a store-based environmental obesity intervention on two American Indian Reservations. *Health Education Research*. 20(6): 719-729.

- D'Agostino, C., D'Andrea, T., Lieberman, L., Sprance, L., Williams, C.L. (1999). Healthy Start: A comprehensive preschool health education program. *Journal of Health Education*. 30:9-12.
- Danielzik, S., Pust, S., Landsberg, B., Muller, M. (2005). First lessons from the Kiel Obesity Prevention Study (KOPS). *International Journal of Obesity (London)*. 29 Suppl 2: S78-83.
- Danielzik, S., Pust, S., Muller, M. (2007). School-based interventions to prevent overweight and obesity in prepubertal children: process and 4-years outcome evaluation of the Kiel Obesity Prevention Study (KOPS). *Acta Paediatrica*. Suppl 96(454): 19-25.
- Datar, A., Sturm, R. (2004). Physical education in elementary school and body mass index: evidence from the early childhood longitudinal study. *American Journal of Public Health*. 94(9): 1501-6.
- Davee, A.M., Blum, J.E., Devore, R.L., Beaudoin, C.M., Kaley, L.A., Leiter, J.L., and Wigand, D.A. (2005). The vending and a la carte
- Davis, B. and Carpenter, C. (2009). Proximity of fast-food restaurants to schools and adolescent obesity. *American Journal of Public Health*. 99(3): 505-510.
- Davis, C.E., Hunsberger, S., Murray, D.M., Fabsitz, R.R., Himes, J.H., Stephenson, L.K., et al. (1999). Design and statistical analysis for the Pathways study. *American Journal of Clinical Nutrition*. 69(4 Suppl):760S-763S.
- Davis, S.M., Clay, T., Smyth, M., Gittelsohn, J., Arviso, V., Flint-Wagner, H., et al. (2003). Pathways curriculum and family interventions to promote healthful eating and physical activity in American Indian schoolchildren. *Preventive Medicine*. 37(6 Pt 2):S24-34.
- Davis, S.M., Going, S.B., Helitzer, D.L., Teufel, N.I., Snyder, P., Gittelsohn, J., et al. (1999). Pathways: a culturally appropriate obesity-prevention program for American Indian schoolchildren. *American Journal of Clinical Nutrition*. 69(4 Suppl):796S-802S.
- Day, M.E., Strange, K.S., McKay, H.A., Naylor, P.J. (2008). Action schools! BC--Healthy Eating: effects of a whole-school model to modifying eating behaviors of elementary school children. *Canadian Journal of Public Health*. 99(4):328-31.
- de Barros, M.V., Nahas, M.V., Hallal, P.C., de Farias Junior, J.C., Florindo, A.A., Honda de Barros, S.S. (2009). Effectiveness of a school-based intervention on physical activity for high school students in Brazil: the Saude na Boa project. *Journal of Physical Activity and Health*. 6(2):163-9.
- De Bourdeaudhuij, I., Sallis, J. F., & Saelens, B. E (2003). Environmental correlates of physical activity in a sample of Belgian adults. *American Journal of Health Promotion*. 18(1): 83-92.
- De Vries, S.I., Bakker, I., van Mechelen, W., Hopman-Rock, M. (2007). Determinants of Activity-friendly Neighborhoods for Children: Results from the SPACE Study. *American Journal of Health Promotion.* 21(4):312-316.

- Diez Roux, A.V., Evenson, K.R., McGinn, A.P., Brown, D.G., Moore, L., Brines, S., and Jacobs, D.R., Jr. (2007). Availability of recreational resources and physical activity in adults. *American Journal of Public Health.* 97(3): 493-9.
- Donnelly, J., Greene, J., Gibson, C., Smith, B., Washburn, R., Sullivan, D., DuBose, K., Mayo, M., Schmelzle, K., Ryan, J., Jacobsen, D., Williams, S. (2009). Physical Activity Across the Curriculum (PAAC): a randomized controlled trial to promote physical activity and diminish overweight and obesity in elementary school children. *Preventive Medicine*. 49(4): 336-41.
- Dowda, M., Brown, W. H., McIver, K. L., Pfeiffer, K. A., O'Neill, J. R., Addy, C. L., & Pate, R. R. (2009). Policies and characteristics of the preschool environment and physical activity of young children. *Pediatrics*. 123(2): e261-6.
- Dowda, M., Dishman, R. K., Porter, D., Saunders, R. P., and Pate, R. R. (2009). Commercial facilities, social cognitive variables, and physical activity of 12th grade girls. *Annals of Behavioral Medicine*. 37(1): 77-87.
- Dowda, M., James, F., Sallis, J., McKenzie, T., Rosengard, P., Kohl, H. (2005). Evaluating the sustainability of SPARK physical education: a case study of translating research into practice. *Research Quarterly for Exercise and Sport.* 76(1): 11-9.
- Dowda, M., Pate, R. R., Trost, S. G., Almeida, M. J., & Sirard, J. R. (2004). Influences of preschool policies and practices on children's physical activity. *Journal of Community Health*. 29(3): 183-96.
- Doyle, S., Kelly-Schwartz, A., Schlossberg, M., & Stockard, J. (2006). Active Community Environments and health: The relationship of Walkable and Safe Communities to Individual Health. *Journal of the American Planning Association*. 72(1): 19-31.
- DuBose, K., Mayo, M., Gibson, C., Green, J., Hill, J., Jacobsen, D., Smith, B., Sullivan, D., Washburn, R., Donnelly, J. (2008). Physical activity across the curriculum (PAAC): rationale and design. *Contemporary Clinical Trials.* 29(1): 83-93.
- Duncan, M., & Mummery, K. (2005). Psychosocial and environmental factors associated with physical activity among city dwellers in regional Queensland. *Preventive Medicine*. 40(4):363-72.
- Dundas M.L. and Cook K. (2004). Impact of the special supplemental nutrition program for women, infants and children on the healthy eating behaviors of preschool children in Eastern Idaho. *Topics in Clinical Nutrition*. 19(4): 273-279.
- Dunton, G.F., Jamner, M.S., and Cooper, D.M. (2003). Assessing the perceived environment among minimally active adolescent girls: validity and relations to physical activity outcomes. *American Journal of Health Promotion*. 18(1): 70-3.
- Durant, N., Harris, S., Doyle, S., Person, S., Saelens, B., Kerr, J., Norman, G., Sallis, J. (2009). Relation of school environment and policy to adolescent physical activity. *Journal of School Health.* 79(4): 153-9; quiz 205-6.
- Dwyer, J. T., E. J. Stone, et al. (2000). "Prevalence of marked overweight and obesity in a

- multiethnic pediatric population: findings from the Child and Adolescent Trial for Cardiovascular Health (CATCH) study." *Journal of the American Dietetic Association*. 100(10): 1149-56.
- Dwyer, J. T., P. Michell, et al. (2003). Fat-sugar see-saw in school lunches: impact of a low fat intervention. *Journal of Adolescent Health*. 32(6): 428-35.
- Dwyer, J.T., Hewes, L.V., Mitchell, P.D., Nicklas, T.A., Montgomery, D.H., Lytle, L.A., et al. (1996). Improving school breakfasts: effects of the CATCH Eat Smart Program on the nutrient content of school breakfasts. *Preventive Medicine*. 25(4):413-22.
- Dyment, J. E. and A. C. Bell (2008). Grounds for movement: green school grounds as sites for promoting physical activity. *Health Education Research*. 23(6): 952-62.
- Dyment, J., Bell, A. (2007). Active by Design: Promoting Physical Activity through School Ground Greening. *Children's Geographies*. 5(4): 463-477.
- Economos, C. D., Folta, S. C., Goldberg, J., Hudson, D., Collins, J., et al. (2009). A community based restaurant initiative to increase availability of healthy menu options in Somerville, Massachusetts: Shape Up Somerville. *Preventing Chronic Disease*. 6(3): A102.
- Economos, C. D., Hyatt, R. R., Goldberg, J. P., Must, A., Naumova, E. N., et al. (2007). A community intervention reduces BMI z-score in children: Shape Up Somerville first year results. *Obesity (Silver Spring)*. 15(5): 1325-1336.
- 134 Edmundson, E., G. S. Parcel, et al. (1996). The effects of the Child and Adolescent Trial for Cardiovascular Health upon psychosocial determinants of diet and physical activity behavior. *Preventive Medicine*. 25(4): 442-54.
- Eid, J., Overman, H.G., Puga, D., and Turner, M.A. (2008). Fat city: Questioning the relationship between urban sprawl and obesity. *Journal of Urban Economics*.63: 385-404.
- Elder, J., Shuler, L., Moe, S., Grieser, M., Pratt, C., Cameron, S., Hingle, M., Pickrel, J., Saksvig, B., Schachter, K., Greer, S., Bothwell, E. (2008). Recruiting a Diverse Group of Middle School Girls Into the Trial of Activity for Adolescent Girls. *Journal of School Health*. 78(10): 523-531.
- Epstein, L.H., Dearing, K.K., Paluch, R.A., Roemmich, J.N., and Cho, D. (2007). Price and maternal obesity influence purchasing of low- and high-energy-dense foods. *American Journal of Clinical Nutrition*.86(4):914-922.
- Epstein, L.H., Handley, E.A., Dearing, K.K., Cho, D.D., Roemmich, J.N., Paluch, R.A., Raja, S., Pak, Y., and Spring, B. (2006) Purchases of food in youth. Influence of price and income. *Psychological Science*. 17(1):82-89.
- Eriksen, K., Haraldsdottir, J., Pederson, R., and Flyger, H.V. (2003). Effect of a fruit and vegetable subscription in Danish schools. *Public Health Nutrition*. 6(1): 57-63.
- Erwin, H., Mays Woods, A., Woods, M., and Castelli, D. (2007). Chapter 6: Children's environmental access in relation to motor competence, physical activity, and fitness.

- Journal of Teaching in Physical Education. 26(4): 404-415.
- Evenson, K. R., Herring, A. H., and Huston, S. L. (2005). Evaluating change in physical activity with the building of a multi-use trail. *American Journal of Preventive Medicine*. 28(2 Suppl 2): 177-85.
- Ewing, R., Brownson, R. C., & Berrigan, D. (2006). Relationship Between Urban Sprawl and Weight of United States Youth. *American Journal of Preventive Medicine*.31(6):464-474.
- Ewing, R., Schmid, T., Killingsworth, R., Zlot, A., and Raudenbush, S. (2003). Relationship between urban sprawl and physical activity, Obesity, and Morbidity. *American Journal of Health Promotion*. 18(1): 47-57
- 144 Farley, T. A., Meriweather, R.A., Baker, E.T., Rice, J.C., & Webber, L.S. (2008). Where Do the Children Play? The Influence of Playground Equipment on Physical Activity of Children in Free Play. *Journal of Physical Activity and Health*. 5: 319-331.
- Farley, T. A., Meriwether, R. A., Baker, E. T., Watkins, L. T., Johnson, C. C., & Webber, L. S. (2007). Safe play spaces to promote physical activity in inner-city children: results from a pilot study of an environmental intervention. *American Journal of Public Health*. 97(9): 1625-31.
- Fein, A.J., Plotnikoff, R.C., Wild, T.C., Spence, J.C. (2004). Perceived environment and physical activity in youth. *International Journal of Behavioral Medicine*. 11(3):135-42.
- Floyd, M. F., Spengler, J. O., Maddock, J. E., Gobster, P. H., and Suau, L. J. (2008). Park-based physical activity in diverse communities of two U.S. cities. An observational study. *American Journal of Preventive Medicine*. 34(4): 299-305.
- Forsyth, A., Hearst, M., Oakes, J. M., & Schmitz, K. H. (2008). Design and Destinations: Factors Influencing Walking and Total Physical Activity. *Urban Studies*. 45(9):1973-1996.
- Forsyth, A., Oakes, J. M., Schmitz, K. H., & Hearst M. (2007). Does Residential Density Increase Walking and Other Physical Activity? *Urban Studies*. 44(4):679-696.
- Foster, G.D., Sherman, S., Borradaile, K.E., Grundy, K.M., Vander Veur, S.S., Nachmani, J., Karpyn, A., Kumanyika, S., Shults, J. (2008). A policy-based school intervention to prevent overweight and obesity. *Pediatrics*. 121(4):e794-802.
- Fox, M.K., Dodd, A.H., Wilson, A., and Gleason, P.M. (2009). Association between school food environment and practices and body mass index of US public school children. *Journal of the American Dietetic Association*. 109(2 Suppl): S108-117.
- Fox, M.K., Gordon, A., Nogales, R., and Wilson, A. (2009). Availability and consumption of competitive foods in US public schools. *Journal of the American Dietetic Association*. 109(2 Suppl): S57-66.
- Franco, M., Diez-Roux, A.V., Nettleton, J.A., Lazo, M., Brancati, F., Caballero, B., Glass, T., and Moore, L.V. (2009). Availability of healthy foods and dietary patterns: The Multi-Ethnic Study of Atherosclerosis. *American Journal of Clinical Nutrition*. 89(3): 897-904.

- Frank, L., Kerr, J., Chapman, J., Sallis, J. (2007). Urban form relationships with walk trip frequency and distance among youth. *American Journal of Health Promotion*. 21(4 Suppl):305-11.
- Frank, L.D., Andresen, M.A., Schmid, T.L. (2004). Obesity relationships with community design, physical activity, and time spent in cars. *American Journal of Preventive Medicine*. 27(2):87-96.
- 156 Frank, L.D., Saelens, B.E., Powell, K.E., Chapman, J.E. (2007). Stepping towards causation: do built environments or neighborhood and travel preferences explain physical activity, driving, and obesity? *Social Science and Medicine*.65(9):1898-914.
- Frank, L.D., Sallis, J.F., Conway, T.L., Chapman, J.E., Saelens, B.E., Bachman, W. (2006).

 Many Pathways from Land Use to Health. *Journal of the American Planning Association*. 72(1):75-87.
- Frank, L.D., Schmid, T.L., Sallis, J.F., Chapman, J., Saelens, B.E. (2005). Linking objectively measured physical activity with objectively measured urban form: findings from SMARTRAQ. American Journal of Preventive Medicine. 28(2 Suppl 2):117-25.
- Franzini, L., Elliott, M. N., Cuccaro, P., Schuster, M., Gilliland, M. J., Grunbaum, J. A., Franklin, F., & Tortolero, S. R. (2009). Influences of physical and social neighborhood environments on children's physical activity and obesity. *American Journal of Public Health*. 99(2): 271-8.
- French, S.A., Jeffery, R.W., Story, M., Breitlow, K.K., Baxter, J.S., Hannan, P., and Snyder, M.P. (2001). Pricing and promotion effects on low-fat vending snack purchases: The CHIPS Study." *American Journal of Public Health*. 91(1): 112-117.
- 161 French, S.A., Story, M., Fulkerson, J.A., and Hannan, P. (2004). An environmental intervention to promote lower-fat food choices in secondary schools: Outcomes of the TACOS Study. *American Journal of Public Health*. 94(9): 1507-1512.
- Fulkerson, J.A., French, S.A., Story, M., Nelson, H., and Hannan, P.J. (2004). Promotions to increase lower-fat food choices among students in secondary schools: Description and outcomes of TACOS (Trying Alternative Cafeteria Options in Schools). *Public Health Nutrition*. 7(5).
- Fulton, J.E., Shisler, J. L., Yore, M. M., & Caspersen, C. J. (2005). Active transportation to school: findings from a national survey. *Research Quarterly for Exercise and Sport*. 76(3):352-357.
- Garden, F.L. and Jalaludin, B.B. (2009). Impact of urban sprawl on overweight, obesity, and physical activity in Sydney, Australia. *Journal of Urban Health*. 86(1): 19-30.
- Garrard, J., Rose, G., Lo, S.K. (2008). Promoting transportation cycling for women: the role of bicycle infrastructure. *Preventive Medicine*. 46(1):55-9.
- Gatenby LA. (2007). Nutritional content of school meals in Hull and the East Riding of Yorkshire: a comparison of two schools. *Journal of Human Nutrition and Diet.* 20(6):538-548.

- Gibson, C., Smith, B., Dubose, K., Greene, J., Bailey, B., Williams, S., Ryan, J., Schmelzle, K., Washburn, R., Sullivan, D., Mayo, M., Donnelly, J. (2008). Physical activity across the curriculum: year one process evaluation results. *International Journal of Behavioral Nutrition and Physical Activity.* 5: 36.
- Gibson, D. (2003). Food stamp program participation is positively related to obesity in low income women. *Journal of Nutrition*. 133: 2225-2231.
- Gibson, D. (2004). Long-term food stamp program participation is differentially related to overweight in young girls and boys. *Journal of Nutrition*. 134(2): 372-379.
- Giles-Corti, B., & Donovan, R. J. (2002). Socioeconomic status differences in recreational physical activity levels and real and perceived access to a supportive physical environment. *Preventive Medicine*. 35(6):601-11.
- 171 Giles-Corti, B., & Donovan, R. J. (2002). The relative influence of individual, social and physical environment determinants of physical activity. Social Science and Medicine. 54(12):1793-812.
- Giles-Corti, B., & Donovan, R. J. (2003). Relative influences of individual, social environmental, and physical environmental correlates of walking. *American Journal of Public Health*. 93(9):1583-9.
- 173 Giles-Corti, B., Broomhall, M. H., Knuiman, M., Collins, C., Douglas, K., Ng, K., Lange, A., & Donovan, R. J. (2005). Increasing walking: how important is distance to, attractiveness, and size of public open space? *American Journal of Preventive Medicine*. 28(2 Suppl 2):169-76.
- 174 Giles-Corti, B., Knuiman, M., Pikora, T.J., Van Neil, K., Timperio, A., Bull, F.C., Shilton, T., and Bulsara, M. (2007). Can the impact on health of a government policy designed to create more liveable neighbourhoods be evaluated? An overview of the RESIDential Environment Project. NSW Public Health Bulletin. 18(11-12): 238-42.
- 175 Giles-Corti, B., Knuiman, M., Timperio, A., Van Niel, K., Pikora, T.J., Bull, F. C., Shilton, T., and Bulsara, M. (2008). Evaluation of the implementation of a state government community design policy aimed at increasing local walking: Design issues and baseline results from RESIDE, Perth Western Australia. *Preventive Medicine*. 46(1): 46-54.
- 176 Giles-Corti, B., Macintyre, S., Clarkson, J. P., Pikora, T., & Donovan, R. J. (2003). Environmental and lifestyle factors associated with overweight and obesity in Perth, Australia. *American Journal of Health Promotion*. 18(1):93-102.
- 177 Giles-Corti, B., Timperio, A., Cutt, H., Pikora, T.J., Bull, F.C., Knuiman, M., Bulsara, M., Van Niel, K., and Shilton, T. (2006). Development of a reliable measure of walking within and outside the local neighborhood: RESIDE's Neighborhood Physical Activity Questionnaire. *Preventive Medicine*. 42(6): 455-9.
- 178 Gittelsohn, J., Davis, S.M., et al. (2003). "Pathways: lessons learned and future directions for school-based interventions among American Indians." Preventive Medicine. 37(6 Pt 2): S107-12.

- 179 Gittelsohn, J., Evans, M., Story, M., Davis, S.M., Metcalfe, L., Helitzer, D.L., et al. (1999). Multisite formative assessment for the Pathways study to prevent obesity in American Indian schoolchildren. *American Journal of Clinical Nutrition*. 69(4 Suppl):767S-772S.
- Gittelsohn, J., Harris, S.B., Whitehead, S., Wolever, T.M., Hanley, A.J., Barnie, A., et al. (1995). Developing diabetes interventions in an Ojibwa-Cree community in northern Ontario: Linking qualitative and quantitative data. *Chronic Diseases in Canada*. 16(4):157-164.
- Gittelsohn, J., Merkle, S., Story, M., Stone, E.J., Steckler, A., Noel, J., et al. (2003). School climate and implementation of the Pathways study. *Preventive Medicine*. 37(6 Pt 2):S97-106.
- Gittelsohn, J., Steckler, A., Johnson, C., Pratt, C., Grieser, M., Pickrel, J., Stone, E., Conway, T., Coombs, D., Staten, L. (2006). Formative research in school and community-based health programs and studies: "state of the art" and the TAAG approach. Health Education Behavior. 33(1): 25-39.
- 183 Gleason, P.M. and Dodd, A.H. (2009). School breakfast program but not school lunch program participation is associated with lower body mass index. *Journal of the American Dietetic Association*. 109: S118-S128.
- Gleason, P.M. and Suitor C.M. (2003). Eating at school: How the National School Lunch Program affects children's diets. *American Journal of Agricultural Economics*. 85(4): 1047-1061.
- Going, S., Thompson, J., Cano, S., Stewart, D., Stone, E., Harnack, L., et al. (2003). The effects of the Pathways Obesity Prevention Program on physical activity in American Indian children. *Preventive Medicine*. 37(6 Pt 2):S62-9.
- Goldberg, J.P., Collins, J.J., Folta, S.C., McLarney, M.J., Kozower, C., Clark, V., and Economos, C.D.. (2009). Retooling food service for early elementary school students in Somerville, Massachusetts: The Shape Up Somerville experience. Preventing Chronic Disease. 6(3): A103.
- 187 Gomez, J. E., Johnson, B. A., Selva, M., & Sallis, J. F. (2004). Violent crime and outdoor physical activity among inner-city youth. *Preventive Medicine*. 39(5): 876-81.
- 188 Gonzalez, W., Jones S.J., and Frongillo E.A. (2009) Restricting snacks in U.S. elementary schools is associated with higher frequency of fruit and vegetable consumption. *Journal* of Nutrition. 139(1):142-144.
- Gordon, A.R., Cohen, R., Crepinsek, M.K., Fox, M.K., Hall, J., and Zeidman, E. (2009). The third School Nutrition Dietary Assessment Study: Background and study design. *Journal* of the American Dietetic Association. 109(2 Suppl): S20-30.
- 190 Gordon, A.R., Crepinsek, M.K., Briefel, R.R., Clark, M.A., and Fox, M.K. (2009). The third School Nutrition Dietary Assessment Study: Summary and implications. *Journal of the American Dietetic Association*. 109(2 Suppl): S129-135.
- Gordon-Larsen, P., McMurray, R. G., Popkin, B. M. (2000). Determinants of adolescent

- physical activity and inactivity patterns. Pediatrics. 105(6): E83.
- 192 Graf, C., Koch, B., Falkowski, G., Jouck, S., Christ, H., Staudenmaier, K., Tokarski, W., Gerber, A., Predel, H., Dordel, S. (2008). School-based prevention: effects on obesity and physical performance after 4 years. *Journal of Sports Science and Medicine*. 26(10): 987-94.
- 193 Graf, C., Koch, B., Falkowski, G., Jouck, S., Christ, H., Stauenmaier, K., Bjarnason-Wehrens, B., Tokarski, W., Dordel, S., Predel, H. (2005). Effects of a school-based intervention on BMI and motor abilities in childhood. *Journal of Sports Science and Medicine*. 4: 291-299.
- 194 Grainger, C., Senauer, B., and Runge, F. (2007). Nutritional improvements and student food choices in a school lunch program. *Journal of Consumer Affairs*. 41(2).
- 195 Greenwald, M., Boarnet, M.G. (2001). The Built Environment as a Determinant of Walking Behavior: Analyzing Non-Work Pedestrian Travel in Portland, Oregon. *Transportation Research Record; Journal of the Transportation Research Board.* 1780:33-42.
- 196 Grow, H.M., Saelens, B.E., Kerr, J., Durant, N.H., Norman, G.J., Sallis, J.F. (2008). Where are youth active? Roles of proximity, active transport, and built environment. *Medicine and Science in Sports and Exercise*. 40(12):2071-9.
- 197 Gutin, B., Yin, Z., Johnson, M., & Barbeau, P. (2008). Preliminary findings of the effect of a 3-year after-school physical activity intervention on fitness and body fat: the Medical College of Georgia Fitkid Project. *International Journal of Pediatric Obesity.* 3 Suppl 1: 3-9.
- Hackett, A., Boddy, L., Boothby, J., Dummer, T.J., Johnson, B., Stratton, G. (2008).
 Mapping dietary habits may provide clues about the factors that determine food choice.
 Journal of Human Nutrition and Dietetics.21(5):428-37.
- Haerens, L., Cerin, E., Deforche, B., Maes, L., De Bourdeaudhuij, I. (2007). Explaining the effects of a 1-year intervention promoting a low fat diet in adolescent girls: a mediation analysis. *International Journal on Behavioral Nutrition and Physical Activity.* 4:55.
- Haerens, L., Cerin, E., Maes, L., Cardon, G., Deforche, B., De Bourdeaudhuij, I. (2008). Explaining the effect of a 1-year intervention promoting physical activity in middle schools: a mediation analysis. *Public Health Nutrition*. 11(5):501-12.
- 201 Haerens, L., De Bourdeaudhuij, I., Maes, L., Cardon, G., Deforche, B. (2007). School-based randomized controlled trial of a physical activity intervention among adolescents. *Journal of Adolescent Health.* 40(3):258-65.
- Haerens, L., De Bourdeaudhuij, I., Maes, L., Vereecken, C., Brug, J., Deforche, B. (2007). The effects of a middle-school healthy eating intervention on adolescents' fat and fruit intake and soft drinks consumption. *Public Health Nutrition*. 10(5):443-9.
- 203 Haerens, L., Deforche, B., Maes, L., Cardon, G., Stevens, V., De Bourdeaudhuij, I. (2006). Evaluation of a 2-year physical activity and healthy eating intervention in middle school children. *Health Education Research*. 21(6):911-21.

- Haerens, L., Deforche, B., Maes, L., Stevens, V., Cardon, G., De Bourdeaudhuij, I. (2006).

 Body mass effects of a physical activity and healthy food intervention in middle schools.

 Obesity (Silver Spring). 14(5):847-54.
- 205 Handy, S., Cao, X., Mokhtarian, P.L. (2006). Self-Selection in the Relationship between the Built Environment and Walking. *Journal of the American Planning Association*. 72(1):55-74.
- 206 Handy, S.L., Cao, X., Mokhtarian, P.L. (2008). The causal influence of neighborhood design on physical activity within the neighborhood: evidence from Northern California.

 *American Journal of Health Promotion. 22(5):350-8.
- Hanley, A.J., Harris, S.B., Barnie, A., Gittelsohn, J., Wolever, T.M., Logan, A., et al. (1995). The Sandy Lake Health and Diabetes Project: Design, methods, and lessons learned. *Chronic Diseases in Canada.* 16(4).
- 208 Hannan, P., French, S.A., Story, M., and Fulkerson, J.A. (2002). A pricing strategy to promote sales of lower fat foods in high school cafeterias: Acceptability and sensitivity analysis. *American Journal of Health Promotion*. 17(1): 1-6, ii.
- Harnack, L.J. (2006). Availability of nutrition information on menus at major chain tableservice restaurants. *Journal of the American Dietetic Association*. 106(7): 1012-1015.
- 210 Harnack, L.J., French, S.A., Oakes, J.M., Story, M.T., Jeffery, R.W., and Rydell, S.A. (2008). Effects of calorie labeling and value size pricing on fast food meal choices: Results from an experimental trial. *International Journal of Behavioral Nutrition and Physical Activity*. 5: 63.
- 211 Harrell, T.K., Davy, B.M., Stewart, J.L., and King, D.S. (2005). Effectiveness of a school-based intervention to increase health knowledge of cardiovascular disease risk factors among rural Mississippi middle school children. Southern Medical Journal. 98(12): 1173-1180.
- 212 Harrington, K.F., Binkley, D., Reynolds, K.D., Duvall, R.C., Copeland, J.R., Franklin, F., and Raczynski, J.. (1997). Recruitment issues in school-based research: lessons learned from the High 5 Alabama Project. *Journal of School Health*. 67(10): 415-421.
- 213 Harris, K.J., Paine-Andrews, A, Lewis, R.K., Johnston, J.A., James, V., Henke, L., Fawcett, S.B. (1997). Reducing Elementary School Children's Risks for Chronic Diseases through School Lunch Modifications, Nutrition Education, and Physical Activity Interventions. *Journal of Nutrition Education and Behavior*. 29(4).
- 214 Harris, K.J., Richter, K.P., Paine-Andrews, A., Lewis, R.K., Johnston, J.A., James, V., et al. (1997). Community Partnerships: Review of Selected Models and Evaluation of Two Case Studies. *Journal of Nutrition Education*. 29:189-195.
- 215 Harrison, R. A., Gemmell, I., & Heller, R. F. (2007). The population effect of crime and neighbourhood on physical activity: an analysis of 15,461 adults. *Journal of Epidemiology and Community Health*. 61(1): 34-9.
- 216 Harten, N., & Olds, T. (2004).Patterns of active transport in 11-12 year old Australian

- children. Australian and New Zealand Journal of Public Health. 28(2):167-72.
- 217 Hartstein, J., Cullen, K.W., Reynolds, K.D., Harrell, J., Resnicow, K., and Kennel, P. (2008). Impact of portion-size control for school a la carte items: Changes in kilocalories and macronutrients purchased by middle school students. *Journal of the American Dietetic Association*. 108(1): 140-144.
- 218 Haug, E., Torsheim, T., Sallis, J., Samdal, O. (2008). The characteristics of the outdoor school environment associated with physical activity. *Health Education Research*.
- 219 Heath, E.M., Coleman, K.J. (2002). Evaluation of the Institutionalization of the Coordinated Approach to Child Health (CATCH) in a U.S./Mexico Border Community. *Health Education and Behavior*. 29:444-460.
- 220 Heath, E.M., Coleman, K.J. (2003). Adoption and institutionalization of the Child and Adolescent Trial for Cardiovascular Health (CATCH) in El Paso, Texas. Health Promotion Practice. 4(2):157-64.
- Heim, S., Stang, J., and Ireland, M. (2009). A garden pilot project enhances fruit and vegetable consumption among children. *Journal of the American Dietetic Association*. 109(7): 1220-1226.
- Heinrich, K.M., Lee, R.E., Regan, G.R., Reese-Smith, J.Y., Howard, H.H., Haddock, C.K., et al. (2008). How Does the Built Environment Relate to BMI and Obesity Prevalence Among Public Housing Residents? *American Journal of Health Promotion*. 22(3):187-192.
- Heinrich, K.M., Lee, R.E., Suminski, R.R., Regan, G.R., Reese-Smith, J.Y., Howard, H.H., et al. (2007). Associations between the built environment and physical activity in public housing residents. *International Journal of Behavioral Nutrition and Physical Activity*. 4(56).
- Helitzer, D.L., Davis, S.M., Gittelsohn, J., Going, S.B., Murray, D.M., Snyder, P., et al. (1999). Process evaluation in a multisite, primary obesity-prevention trial in American Indian schoolchildren. *American Journal of Clinical Nutrition*. 69(4 Suppl):816S-824S.
- Herman, D.R., Harrison, G.G., Afifi, A.A., and Jenks, E. (2008). Effect of a targeted subsidy on intake of fruits and vegetables among low-income women in the Special Supplemental Nutrition Program for Women, Infants, and Children. *American Journal of Public Health*. 98(1): 98-105.
- Herman, D.R., Harrison, G.G., and Jenks, E. (2006). Choices made by low-income women provided with an economic supplement for fresh fruit and vegetable purchase. *Journal of the American Dietetic Association*. 106: 740-744.
- Hermann, J.R., Parker, S.P., Brown, B.J., Siewe, Y.J., Denney, B.A., and Walker, S.J. (2006). After-school gardening improves children's reported vegetable intake and physical activity. *Journal of Nutrition Education and Behavior*. 38(3): 201-202.
- Himes, J.H., Ring, K., Gittelsohn, J., Cunningham-Sabo, L., Weber, J., Thompson, J., et al. (2003). Impact of the Pathways intervention on dietary intakes of American Indian

- schoolchildren. Preventive Medicine. 37(6 Pt 2):S55-61.
- Ho, L.S., Gittelsohn, J., Harris, S.B., Ford, E. (2006). Development of an integrated diabetes prevention program with First Nations in Canada. *Health Promotion International*. 21(2):88-97.
- 230 Ho, L.S., Gittelsohn, J., Rimal, R., Treuth, M.S., Sharma, S., Rosecrans, A., et al. (2008). An integrated multi-institutional diabetes prevention program improves knowledge and healthy food acquisition in northwestern Ontario First Nations. *Health Education and Behavior*. 35(4):561-73.
- Hoehner, C.M., Brennan Ramirez, L. K., Elliott, M. B., Handy, S. L., & Brownson, R. C. (2005). Perceived and objective environmental measures and physical activity among urban adults. *American Journal of Preventive Medicine*. 28(2 Suppl 2):105-16.
- Hoelscher, D. M., P. Mitchell, et al. (2003). How the CATCH eat smart program helps implement the USDA regulations in school cafeterias. *Health Education and Behavior*. 30(4): 434-46.
- 233 Hoelscher, D.M., Feldman, H.A., Johnson, C.C., Lytle, L.A., Osganian, S.K., Parcel, G.S., et al. (2004). School-based health education programs can be maintained over time: results from the CATCH Institutionalization study. *Preventive Medicine*. 38(5):594-606.
- 234 Hofferth, S.L. and Curtin, S. (2005). Poverty, food programs, and childhood obesity. *Journal of Policy Analysis and Management*. 24(4): 703-726.
- Honas, J., Washburn, R., Smith, B., Greene, J., Donnelly, J. (2008). Energy expenditure of the physical activity across the curriculum intervention. *Medicine and Science in Sports and Exercise*. 40(8): 1501-5.
- Hooker, S. P., Wilson, D. K., Griffin, S. F., & Ainsworth, B. E. (2005). Perceptions of environmental supports for physical activity in African American and white adults in a rural county in South Carolina. *Preventing Chronic Disease*. 2(4): A11.
- Hopper, C., Munoz, K., Gruber, M., Nguyen, K. (2005). The Effects of a Family Fitness Program on the Physical Activity and Nutrition Behaviors of Third-Grade Children. Research Quarterly for Exercise and Sport. 76(2): 130-139.
- Horgen, K.B. and Brownell, K.D. (2002). Comparison of price change and health message interventions in promoting healthy food choices. *Health Psychology*. 21(5): 505-512.
- Horn, O. K., Paradis, G., Potvin, L., Macaulay, A. C., Desrosiers, S. (2001). Correlates and predictors of adiposity among Mohawk children. *Preventive Medicine*. 33(4): 274-281.
- 240 Horne, P.J., Tapper, K., Lowe, C.F., Hardman, C.A., Jackson, M.C., and Woolner, J. (2004). Increasing children's fruit and vegetable consumption: A peer-modeling and rewards-based intervention. *European Journal of Clinical Nutrition*. 58(12): 1649-1660.
- 241 Hume, C., Salmon, J., & Ball, K. (2007). Associations of children's perceived neighborhood environments with walking and physical activity. *American Journal of Health Promotion*. 21(3): 201-7.

- Hume, C., Salmon, J., Ball, K. (2005). Children's perceptions of their home and neighborhood environments, and their association with objectively measured physical activity: a qualitative and quantitative study. *Health Education Research.* 20(1):1-13.
- 243 Hume, C., Timperio, A., Salmon, J., Carver, A., Corti-Giles, B., & Crawford, D. (2009).
 Walking and cycling to school: predictors of increases among children and adolescents.
 American Journal of Preventive Medicine. 36(3):195-200.
- Humpel, N., Marshall, A.L., Leslie, E., Bauman, A., Owen, N. (2004). Changes in neighborhood walking are related to changes in perceptions of environmental attributes. *Annals of Behavioral Medicine*. 27(1):60-7.
- 245 Humpel, N., Owen, N., Iverson, D., Leslie, E., Bauman, A. (2004). Perceived environment attributes, residential location, and walking for particular purposes. *American Journal of Preventive Medicine*. 26(2):119-25.
- 246 Humpel, N., Owen, N., Leslie, E., Marshall, A.L., Bauman, A.E., Sallis, J.F. (2004). Associations of location and perceived environmental attributes with walking in neighborhoods. *American Journal of Health Promotion*. 18(3):239-42.
- Huston, S.L., Evenson, K. R., Bors, P., & Gizlice, Z. (2003). Neighborhood environment, access to places for activity, and leisure-time physical activity in a diverse North Carolina population. American Journal of Health Promotion. 18(1):58-69.
- 248 Huybrechts, I., Matthys, C., Pynaert, I., De Maeyer, M., Bellemans, M., De Geeter, H., and De Henauw, S. (2008). Flanders preschool dietary survey: Rationale, aims, design, methodology and population characteristics. *Archives of Public Health*. 66: 5-25.
- 249 Inagami, S., Cohen, D.A., Finch, B.K., and Asch, S.M. (2006). You are where you shop: Grocery store locations, weight, and neighborhoods. *American Journal of Preventive Medicine*. 31(1): 10-17.
- Jago, R., Baranowski, T., & Baranowski, J. C. (2006). Observed, GIS, and self-reported environmental features and adolescent physical activity. *American Journal of Health Promotion*. 20(6):422-8.
- Jago, R., Baranowski, T., Baranowski, J., Cullen, K., Thompson, D. (2007). Distance to food stores & adolescent male fruit and vegetable consumption: mediation effects.
 International Journal of Behavioral Nutrition and Physical Activity 4: 35.
- Jago, R., Baranowski, T., Zakeri, I., & Harris, M. (2005). Observed environmental features and the physical activity of adolescent males. *American Journal of Preventive Medicine*. 29(2):98-104.
- Jamelske, E., Bica, L.A., McCarty, D., and Meinen, A. (2008). Preliminary findings from an evaluation of the USDA Fresh Fruit and Vegetable Program in Wisconsin schools. *Wisconsin Medical Journal*. 107(5): 225-230.
- Jeffery, R.W., Baxter, J., McGuire, M., and Linde, J. (2006). Are fast food restaurants an environmental risk factor for obesity? *International Journal of Behavior and Nutrition*. 3(2).

- Jenum, A.K., Anderssen, S.A., Birkeland, K.I., Holme, I., Graff-Iversen, S., Lorentzen, C., Ommundsen, Y., Raastad, T., Odegaard, A.K., and Bahr, R. (2006). Promoting physical activity in a low-income multiethnic district: effects of a community intervention study to reduce risk factors for type 2 diabetes and cardiovascular disease: A community intervention reducing inactivity. *Diabetes Care*. 29(7): 1605-1612.
- Jenum, A.K., Lorentzen, C., Anderssen, S.A., Birkeland, K.I., Holme, I., Lund-Larsen, P.G., Ommundsen, Y., Raastad, T., Thelle, D.S., and Bahr, R. (2003). Promoting physical activity in a multi-ethnic district -- methods and baseline results of a pseudoexperimental intervention study. *European Journal of Cardiovascular Prevention and Rehabilitation*. 10(5): 387-396.
- Jenum, A.K., Lorentzen, C.A., and Ommundsen, Y. (2009). Targeting physical activity in a low socioeconomic status population: Observations from the Norwegian 'Romsas in Motion' study. *British Journal of Sports Medicine*. 43(1): 64-69.
- Jilcott, S.B., Evenson, K.R., Laraia, B.A., Ammerman, A.S. (2007). Association between physical activity and proximity to physical activity resources among low-income, midlife women. *Preventing Chronic Disease*.4(1):A04.
- Jimenez, M.M., Receveur, O., Trifonopoulos, M., Kuhnlein, H., Paradis, G., and Macaulay, A.C. (2003). Comparison of the dietary intakes of two different groups of children (grades 4 to 6) before and after the Kahnawake Schools Diabetes Prevention Project. Journal of the American Dietetic Association. 103(9): 1191-1194.
- Johnson, D. B., and Smith, L. T. (2006). Testing the recommendations of the Washington State Nutrition and Physical Activity Plan: the Moses Lake case study. *Preventing Chronic Disease*. 3(2): A59.
- Jordan, K. C., Erickson, E. D., Cox, R., Carlson, E. C., Heap, E., et al. (2008). Evaluation of the Gold Medal Schools program. *Journal of the American Dietetic Association*. 108(11): 1916-1920.
- Joshu, C.E., Boehmer, T.K., Brownson, R.C., Ewing, R. (2008). Personal, neighbourhood and urban factors associated with obesity in the United States. *Journal of Epidemiology and Community Health*. 62(3):202-8.
- Jurg, M., Kremers, S., Candel, M., Van der Wal, M., De Meij, J. (2006). A controlled trial of a school-based environmental intervention to improve physical activity in Dutch children: JUMP-in, kids in motion. *Health Promotion International*. 21(4): 320-30.
- 264 Kaczynski, A.T., Potwarka, L. R., & Saelens, B. E. (2008). Association of park size, distance, and features with physical activity in neighborhood parks. American Journal of Public Health. 98(8):1451-6.
- 265 Kaczynski, A.T., Potwarka, L.R., Smale, B.J.A., Havitz, M.E. (2009). Association of Parkland Proximity with Neighborhood and Park-based Physical Activity; Variations by Gender and Age. Leisure Sciences. 31:174-191.
- 266 Kafatos, A., Manios, Y., Moschandreas, J. (2005). Health and nutrition education in primary schools of Crete: follow-up changes in body mass index and overweight status.

- European Journal of Clinical Nutrition. 59(9): 1090-2.
- Kafatos, I., Manios, Y., Moschandreas, J., Kafatos, A. (2007). Health and nutrition education program in primary schools of Crete: changes in blood pressure over 10 years. *European Journal of Clinical Nutrition*. 61(7): 837-45.
- 268 Kain, J., Leyton, B., Cerda, R., Vio, F., Uauy, R. (2008). Two-year controlled effectiveness trial of a school-based intervention to prevent obesity in Chilean children. *Public Health Nutrition*. 1-11.
- Kamphuis, C.B., Van Lenthe, F. J., Giskes, K., Huisman, M., Brug, J., & Mackenbach, J. P. (2008). Socioeconomic status, environmental and individual factors, and sports participation. *Medicine and Science in Sports and Exercise*. 40(1):71-81.
- 270 Kaushik, A., Mullee, M.A., Bryant, T.N., and Hill, C.M. (2007). A study of the association between children's access to drinking water in primary schools and their fluid intake:

 Can water be "cool" in school? *Child: Care, Health and Development.* 33(4): 409-415.
- 271 Kelder, S., Hoelscher, D. M., Barroso, C. S., Walker, J. L., Cribb, P., & Hu, S. (2005). The CATCH Kids Club: a pilot after-school study for improving elementary students' nutrition and physical activity. *Public Health Nutrition*. 8(2): 133-40.
- Kelder, S., Springer, A., Barroso, C., Smith, C., Sanchez, E., Ranjit, N., Hoelscher, D.
 (2009). Implementation of Texas Senate Bill 19 to Increase Physical Activity in
 Elementary Schools. *Journal of Public Health Policy*. 30: S221-S247.
- 273 Kelly-Schwartz, A., Stockard, J., Doyle, S., and Schlossberg, M. (2004). Is sprawl unhealthy? A multilevel analysis of the relationship of metropolitan sprawl to the health of individuals. *Journal of Planning Education and Research*. 24:184-196.
- Kerr, J., Eves, F., and Carroll, D. (2000). Posters can prompt less active people to use the stairs. *Journal of Epidemiology and Community Health*. 54(12): 942-943.
- Kerr, J., Eves, F., and Carroll, D. (2001). Encouraging stair use: Stair-riser banners are better than posters. *American Journal of Public Health*. 91(8): 1192-3.
- 276 Kerr, J., Eves, F.F., and Carroll, D. (2001). The influence of poster prompts on stair use: The effects of setting, poster size and content. *British Journal of Health Psychology.* 6(Part 4): 397-405.
- 277 Kerr, J., Frank, L., Sallis, J.F., Chapman, J. (2007). Urban Form Correlates of Pediatrician Travel in Youth: Differences in Gender, Race-Ethnicity, and Household Attributes. *Transportation Research Part-D*.12:177-182.
- 278 Kerr, J., Rosenberg, D., Sallis, J. F., Saelens, B. E., Frank, L. D., & Conway, T. L. (2006). Active commuting to school: Associations with environment and parental concerns. Medicine and Science in Sports and Exercise. 38(4):787-94.
- 279 Khattak, A.J., Rodriguez, D.A. (2005). Travel behavior in neo-traditional neighborhood developments: A case study in USA. *Transportation Research Part A* 39:481-500.

- 280 King, A. C., Castro, C., Wilcox, S., Eyler, A. A., Sallis, J. F., & Brownson, R. C. (2000). Personal and environmental factors associated with physical inactivity among different racial-ethnic groups of U.S. middle-aged and older-aged women. *Health Psychology*. 19(4): 354-64.
- 281 King, A.C., Toobert, D., Ahn, D., Resnicow, K., Coday, M., Riebe, D., Garber, C.E., Hurtz, S., Morton, J., Sallis, J.F. (2006). Perceived Environments as Physical Activity Correlates and Moderators of Intervention in Five Studies. *American Journal of Health Promotion*. 21(1):24-35.
- 282 Kirby, A. M., Levesque, L., Wabano, V., & Robertson-Wilson, J. (2007). Perceived community environment and physical activity involvement in a northern-rural Aboriginal community. *International Journal of Behavioral Nutrition and Physical Activity.* 4: 63.
- 283 Klein, E., Lytle, L., and Chen, V. (2008). Social Ecological Predictors of the Transition to overweight in Youth: Results from the Teens Eating for Energy and Nutrition at Schools (TEENS) Study. *Journal of the American Dietetic Association*. 108(7).
- Klepp, K. I., C. Perez-Rodrigo, De Bourdeaudhuij, I., Due, P., Elmadfa, I., Haraldsdóttir, J., König, J., Sjöström, M., Thórsdóttir, I., Vaz de Almeida, M.D., Yngve, A., and Brug, J. (2005). Promoting fruit and vegetable consumption among European schoolchildren: Rationale, conceptualization and design of the pro children project. *Annals of Nutrition and Metabolism.* 49(4): 212-220.
- Kligerman, M., Sallis, J.F., Ryan, S., Frank, L.D., Nader, P.R. (2007). Association of neighborhood design and recreation environment variables with physical activity and body mass index in adolescents. *American Journal of Health Promotion*. 21(4):274-7.
- 286 Koch, S., Waliczek, T.M., and Zajicek, J.M. (2006). The effect of a summer garden program on the nutritional knowledge, attitudes, and behaviors of children. *Horticultural Technology*. 16(4): 620-625.
- 287 Kondo, K., Lee, J.S., Kawakubo, K., Kataoka, Y., Asami, Y., Mori, K., Umezaki, M., Yamauchi, T., Takagi, H., Sunagawa, H., Akabayashi, A. (2009). Association between daily physical activity and neighborhood environments. *Environmental Health and Preventative Medicine*. 14:196-206.
- 288 Korwanich, K., Sheiham, A., Srisuphan, W., and Srislapanan, P. (2008). Promoting healthy eating in nursery schoolchildren: A quasi-experimental intervention study. *Health Education Journal*. 67(1):16-30.
- Krizek, K.J., Johnson, P.J. (2006). Proximity to Trails and Retail: Effects on Urban Cycling and Walking. *Journal of the American Planning Association*. 72(1):33-42.
- Kropf, M.L., Holben, D.H., Holcomb, J.P., Jr., and Anderson, H. (2007). Food security status and produce intake and behaviors of Special Supplemental Nutrition Program for Women, Infants, and Children and Farmers' Market Nutrition Program participants. Journal of the American Dietetic Association. 107(11): 1903-1908.
- 291 Kubik, M.Y., Lytle, L.A., and Story, M. (2005). Schoolwide food practices are associated with body mass index in middle school students. *Archives of Pediatric and Adolescent*

- Medicine. 159(12): 1111-1114.
- Kubik, M.Y., Lytle, L.A., Hannan, P.J., Perry, C.L., and Story, M. (2003). The association of the school food environment with dietary behaviors of young adolescents. *American Journal of Public Health*. 93(7): 1168-1173.
- Kumanyika, S., Obarzanek, E., Robinson, T. N., & Beech, B. (2003). Supplement 1: Phase 1 of the Girls Health Enrichment Multi-site Studies (GEMS). *Ethnicity and Disease*. 13 [suppl1].
- 294 Kumanyika, S.K., Story, M., Beech, B.M., Sherwood, N.E., Baranowski, J.C., Powell, T.M., Cullen, K.W., and Owens, A.S. (2003). Collaborative planning for formative assessment and cultural appropriateness in the Girls health Enrichment Multi-site Studies (GEMS): A retrospection. *Ethnicity and Disease*. 13(1 Suppl 1): S15-29.
- 295 Laraia, B.A., Siega-Riz, A.M., Kaufman, J.S., and Jones, S.J. (2004). Proximity of supermarkets is positively associated with diet quality index for pregnancy. *Preventative Medicine*. 39(5): 869-875.
- 296 Larsen, K., Gilliland, J., Hess, P., Tucker, P., Irwin, J., He, M. (2009). The influence of the physical environment and sociodemographic characteristics on children's mode of travel to and from school. *American Journal of Public Health*. 99(3):520-526.
- 297 Laurence, S., Peterken, R., and Burns, C. (2007). Fresh Kids: The efficacy of a health promoting schools approach to increasing consumption of fruit and water in Australia. *Health Promotion International.* 22(3): 218-226.
- 298 Lautenschlager, L. and Smith, C. (2007). Understanding gardening and dietary habits among youth garden program participants using the theory of planned behavior. *Appetite*. 122-130.
- 299 Lazaar, N., Aucouturie, J., Ratel, S., Rance, M., Meyer, M., Duche, P. (2007). Effect of Physical Activity Intervention on body composition in young children: influence of body mass index status and gender. *Acta Paediatrica*. 96: 1315-1320.
- Lee, C., Vernez Moudon, A. (2006). Correlates of Walking for Transportation or Recreation Purposes. *Journal of Physical Activity and Health.* 3(Suppl. 1):S77-S98.
- 301 Lee, J.S., Kawakubo, K., Kohri, S., Tsujii, H., Mori, K., & Akabayashi, A. (2007). Association between Resident's Perception of the Neighborhood's Environments and Walking Time in Objectively Different Regions. *Environmental Health and Preventative Medicine*. 12(1):3-10.
- Lee, R.E. and Cubbin, C. (2002). Neighborhood context and youth cardiovascular health behaviors. *American Journal of Public Health*. 92(3): 428-36.
- Lee, S.M., Tudor-Locke, C., and Burns, E.K. (2008). Application of a walking suitability assessment to the immediate built environment surrounding elementary schools. *Health Promotion Practice*. 9(3): 246-252.
- Li, F., Harmer, P., Cardinal, B.J., Bosworth, M., Johnson-Shelton, D. (2009). Obesity and the Built Environment: Does the Density of Neighbourhood Fast-Food Outlets Matter.

- American Journal of Health Promotion. 23(3):203-209.
- Li, F., Harmer, P., Cardinal, B.J., Bosworth, M., Johnson-Shelton, D., Moore, J.M., Acock, A., and Vongjaturapat, N. (2009). Built environment and 1-year change in weight and waist circumference in middle-aged and older adults: Portland Neighborhood Environment and Health Study. *American Journal of Epidemiology*. 169(4): 401-408.
- 306 Li, F., Harmer, P.A., Cardinal, B.J., Bosworth, M., Acock, A., Johnson-Shelton, D., and Moore, J.M. (2008). Built environment, adiposity, and physical activity in adults aged 50-75. *American Journal of Preventive Medicine*. 35(1): 38-46.
- 307 Li, M., Dibley, M. J., Sibbritt, D., & Yan, H. (2006). Factors associated with adolescents' physical inactivity in Xi'an City, China. *Medicine and Science in Sports and Exercise*. 38(12):2075-85.
- Lindsey, G., Han, Y., Wilson, J., Yang, J. (2006). Neighborhood Correlates of Urban Trail Use. *Journal of Physical Activity and Health*.3(Suppl. 1):S139-S157.
- 309 Liu, A., Hu, X., Ma, G., Cui, Z., Pan, Y., Chang, S., Zhao, W., Chen, C. (2008). Evaluation of a classroom-based physical activity promoting programme. *Obesity Reviews*. 9 Suppl 1: 130-4.
- 310 Liu, G.C., Wilson, J.S., Qi, R., and Ying, J. (2007). Green neighborhoods, food retail and childhood overweight: Differences by population density. *American Journal of Health Promotion*. 21(4 Suppl): 317-325.
- Longley, C.H., Sneed, J. (2009). Effects of federal legislation on wellness policy formation in school districts in the United States. Journal of the American Dietetic Association. 109(1):95-101.
- Lopez, R. (2004). Urban sprawl and risk for being overweight or obese. *American Journal of Public Health*. 94(9): 1574-1579.
- Lopez, R.P. (2007). Neighborhood risk factors for obesity. *Obesity (Silver Spring)*. 15(8): 2111-2119.
- 314 Lorentzen, C., Ommundsen, Y., Jenum, A.K., and Holme, I. (2007). The Romsas in Motion community intervention: Program exposure and psychosocial mediated relationships to change in stages of change in physical activity. *International Journal of Behavioral Nutrition and Physical Activity*. 4(15).
- Lorentzen, C., Ommundsen, Y., Jenum, A.K., and Holme, I. (2009). The Romsas in Motion community intervention: Mediating effects of psychosocial factors on forward transition in the stages of change in physical activity. *Health Education and Behavior*. 36(2): 348-365.
- Loucaides, C., Jago, R., Charalambous, I. (2009). Promoting physical activity during school break times: Piloting a simple, low cost intervention. *Preventive Medicine*.
- Loughridge, J.L. and Barratt, J. (2005). Does the provision of cooled filtered water in secondary school cafeterias increase water drinking and decrease the purchase of soft

- drinks? Journal of Human Nutrition and Dietetics. 18(4): 281-286.
- Luepker, R.V., Perry, C.L., McKinlay, S.M., Nader, P.R., Parcel, G.S., Stone, E.J., et al. (1996). Outcomes of a field trial to improve children's dietary patterns and physical activity. The Child and Adolescent Trial for Cardiovascular Health. CATCH collaborative group. *Journal of the American Medical Association*. 275(10):768-76.
- 319 Luepker, R.V., Perry, C.L., Osganian, V., Nader, P.R., Parcel, G.S., Stone, E.J., et al. (1998). The Child and Adolescent Trial for Cardiovascular Health (CATCH). *Journal of Nutritional Biochemistry*. 9:525-534.
- 320 Lumeng, J. C., Appugliese, D., Cabral, H. J., Bradley, R. H., & Zuckerman, B. (2006). Neighborhood safety and overweight status in children. *Archives of Pediatric and Adolescent Medicine*. 160(1): 25-31.
- Lytle, L. and Perry., C. (2001). Applying research and theory in program planning: An example from a nutrition education intervention. *Health Promotion Practice*. 2(1).
- Lytle, L.A., Gerlach, S., and Weinstein, A.B. (2001). Conducting nutrition education research in junior high schools: Approaches and challenges. *Journal of Nutrition Education*. 33(1): 49-54.
- Lytle, L.A., Kubik, M.Y., Perry, C., Story, M., Birnbaum, A.S., and Murray, D.M. (2006). Influencing healthful food choices in school and home environments: Results from the TEENS study. *Preventive Medicine*. 43(1): 8-13.
- Lytle, L.A., Murray, D.M., Perry, C.L., Story, M., Birnbaum, A.S., Kubik, M.Y., and Varnell, S. (2004). School-based approaches to affect adolescents' diets: Results from the TEENS study. *Health Education and Behavior*. 31(2): 270-287.
- Lytle, L.A., Stone, E.J., Nichaman, M.Z., Perry, C.L., Montgomery, D.H., Nicklas, T.A., et al. (1996). Changes in nutrient intakes of elementary school children following a school-based intervention: results from the CATCH Study. *Preventive Medicine*. 25(4):465-77.
- Maas, J., Verheij, R.A., Spreeuwenberg, P., & Groenewegen, P.P. (2008) Physical activity as a possible mechanism behind the relationship between green space and health: A multilevel analysis. BMC Public Health. 8(206).
- Macaulay, A.C., Paradis, G., Potvin, L., Cross, E.J., Saad-Haddad, C., McComber, A., et al. (1997). The Kahnawake Schools Diabetes Prevention Project: Intervention, evaluation, and baseline results of a diabetes primary prevention program with a native community in Canada. Preventive Medicine. 26(6): 779-790.
- Maddock, J. (2004). The relationship between obesity and the prevalence of fast food restaurants: State-level analysis. *American Journal of Health Promotion.* 19(2):137-143.
- Mahar, M., Murphy, S., Rowe, D., Golden, J., Shields, A., Raedeke, T. (2006). Effects of a classroom-based program on physical activity and on-task behavior. *Medicine and Science in Sports and Exercise*. 38(12): 2086-94.
- Manios, Y. and Kafatos, A. (1999). Health and nutrition education in elementary schools: changes in health knowledge, nutrient intakes and physical activity over a six year

- period. Public Health Nutrition. 2(3A): 445-8.
- Manios, Y. and Kafatos, A. (2006). Health and nutrition education in primary schools in Crete: 10 years follow-up of serum lipids, physical activity and macronutrient intake. British Journal of Nutrition. 95(3): 568-575.
- Manios, Y., Kafatos, A., Mamalakis, G. (1998). The effects of a health education intervention initiated at first grade over a 3 year period: physical activity and fitness indices. *Health Education Research*. 13(4): 593-606.
- Manios, Y., Kafatos, I., Kafatos, A. (2006). Ten-year follow-up of the Cretan Health and Nutrition Education Program on children's physical activity levels. *Preventive Medicine*. 43(6): 442-6.
- Manios, Y., Moschandreas, J., Hatzis, C., Kafatos, A. (1999). Evaluation of a health and nutrition education program in primary school children of Crete over a three-year period. *Preventive Medicine*. 28(2): 149-59.
- Manios, Y., Moschandreas, J., Hatzis, C., Kafatos, A. (2002). Health and nutrition education in primary schools of Crete: changes in chronic disease risk factors following a 6-year intervention programme. *British Journal of Nutrition*. 88(3): 315-24.
- Marcoux, M., Sallis, J., McKenzie, T., Marshall, S., Armstrong, C., Goggin, K. (1999).
 Process Evaluation of a Physical Activity Self-Management Program for Children:
 SPARK. Psychology and Health. 14:659-677.
- Marcus, C., Nyberg, G., Nordenfelt, A., Karpmyr, M., Kowalski, J., Ekelund, U. (2009). A 4-year, cluster-randomized, controlled childhood obesity prevention study: STOPP.
 International Journal of Obesity (London). 33(4):408-17.
- McAleese, J.D. and Rankin, L.L. (2007). Garden-based nutrition education affects fruit and vegetable consumption in sixth-grade adolescents. *Journal of the American Dietetic* Association. 107(4): 662-665.
- McComber, A. M., Macaulay, A. C., Kirby, R., Desrosiers, S., Cross, E.J., Saad-Haddad, C. (1998). The Kahnawake Schools Diabetes Prevention Project: community participation in a diabetes primary prevention research project. *International Journal of Circumpolar Health.* 57 (Suppl 1): 370-374.
- McCormack, G., Giles-Corti, B., & Bulsara, M. (2008). The relationship between destination proximity, destination mix and physical activity behaviors. *Preventive Medicine*. 46:33-40.
- 341 McCormack, G.R., Giles-Corti, B., & Bulsara, M. (2007). Correlates of using neighborhood recreational destinations in physically active respondents. *Journal of Physical Activity and Health*. 4(1):39-53.
- McDonald, N. C. (2007). Children's mode choice for the school trip: The role of distance and school location in walking to school. *Transportation*. 35(1): 23-35.
- McDonald, N. C. (2008). The effect of objectively measured crime on walking in minority

- adults. American Journal of Health Promotion. 22(6):433-6.
- McGinn, A.P., Evenson, K.R., Herring, A.H., Huston, S.L., Rodriguez, D.A. (2007). Exploring Associations between Physical Activity and Perceived and Objective Measures of the Built Environment. *Journal of Urban Health*. 84(2):162-183.
- McKenzie, T., Sallis, J., Kolody, B., Faucette, F. (1997). Long-term effects of a physical education curriculum and staff development program: SPARK. Research Quarterly for Exercise and Sport. 68(4): 280-91.
- McKenzie, T., Sallis, J., Rosengard, P. (2009). Beyond the stucco tower: design, development, and dissemination of the SPARK physical education programs. *Quest.* 61: 114-127.
- McKenzie, T.J., Sallis, Faucette, N., Roby, J., Kolody, B. (1993). Effects of a curriculum and in-service program on the quantity and quality of elementary physical education classes. Research Quarterly for Exercise and Sport. 64(2): 178-87.
- McKenzie, T.L., Nader, P.R., Strikmiller, P.K, Yang, M., Stone, E.J., Perry, C.L., et al. (1996). School physical education: effect of the Child and Adolescent Trial for Cardiovascular Health. *Preventive Medicine*. 25(4):423-31.
- McKenzie, T.L., Sallis, J.F., Prochaska, J.J., Conway, T.L., Marshall, S.J., Rosengard, P. (2004). Evaluation of a two-year middle-school physical education intervention: M-SPAN. Medicine and Science in Sports and Exercise. 36(8):1382-8.
- McKenzie, T.L., Stone, E.J., Feldman, H.A., Epping, J.N., Yang, M., Strikmiller, P.K., et al. (2001). Effects of the CATCH physical education intervention: teacher type and lesson location. *American Journal of Preventive Medicine*. 21(2):101-9.
- McMillan, T.E. (2007). The relative influence of urban form on a child's travel mode to school. *Transportation Research Part A.* 41:69-79.
- McMurray, R., Harrell, J., Bangdiwala, S., Bradley, C., Deng, S., Levine, A. (2002). A school-based intervention can reduce body fat and blood pressure in young adolescents. *Journal of Adolescent Health.* 31(2): 125-32.
- McNeill, L.H., Wyrwich, K. W., Brownson, R. C., Clark, E. M., & Kreuter, M. W. (2006). Individual, social environmental, and physical environmental influences on physical activity among black and white adults: a structural equation analysis. Annals of Behavioral Medicine. 31(1):36-44.
- Mehta, N.K. and Chang, V.W. (2008). Weight status and restaurant availability: A multilevel analysis. *American Journal of Preventive Medicine*. 34(2): 127-133.
- Mendoza, J.A., Levinger, D.D., and Johnston, B.D. (2009). Pilot evaluation of a walking school bus program in a low-income, urban community. *BMC Public Health*. 9(1): 122.
- Merom, D., Bauman, A., Vita, P., and Close, G. (2003). An environmental intervention to promote walking and cycling-the impact of a newly constructed rail trail in Western Sydney. *Preventive Medicine*. 36(2): 235-42.

- Miles, R. (2008). Neighborhood disorder, perceived safety, and readiness to encourage use of local playgrounds. *American Journal of Preventive Medicine*. 34(4):275-81.
- Moe, J., Roberts, J., and Moore, L. (2001). Planning and running fruit truck shops in primary schools. *Health Education*. 101(2): 61-68.
- Molnar, B. E., Gortmaker, S. L., Bull, F. C., & Buka, S. L. (2004). Unsafe to play?
 Neighborhood disorder and lack of safety predict reduced physical activity among urban children and adolescents. *American Journal of Health Promotion*. 18(5):378-86.
- Moore, L. and Tapper, K. (2008). The impact of school fruit truck shops and school food policies on children's fruit consumption: A cluster randomised trial of schools in deprived areas. *Journal of Epidemiology and Community Health*. 62(10): 926-931.
- Moore, L.V., Diez Roux, A.V., Nettleton, J.A., and Jacobs, D.R., Jr. (2008). Associations of the local food environment with diet quality--a comparison of assessments based on surveys and geographic information systems: The multi-ethnic study of atherosclerosis. American Journal of Epidemiology. 167(8): 917-924.
- Morland, K., Diez Roux, A.V., and Wing, S. (2006). Supermarkets, other food stores, and obesity: The atherosclerosis risk in communities study. *American Journal of Preventive Medicine*. 30(4): 333-339.
- Morland, K., Wing, S., and Diez Roux, A. (2002). The contextual effect of the local food environment on residents' diets: The atherosclerosis risk in communities study. *American Journal of Public Health*. 92(11): 1761-1767.
- Morland, K.B. and Evenson K.R. (2009). Obesity prevalence and the local food environment. *Health & Place*. 15: 491-495.
- Morris, J.L., Nueustadter, A., and Zidenberg-Cherr, S. (2009). First-grade gardeners more likely to taste vegetables. *California Agriculture*. 55(1): 43-46.
- Morrison, D.S., Thomson, H., and Petticrew, M. (2004). "Evaluation of the health effects of a neighbourhood traffic calming scheme." *Journal of Epidemiology and Community Health*. 58(10): 837-40.
- Mota, J., Almeida, M., Santos, P., & Ribeiro, J. C. (2005). Perceived Neighborhood Environments and physical activity in adolescents. *Preventive Medicine*. 41(5-6):834-6.
- Mota, J., Gomes, H., Almeida, M., Ribeiro, J. C., & Santos, M. P. (2007). Leisure time physical activity, screen time, social background, and environmental variables in adolescents. *Pediatric Exercise Science*. 19(3): 279-90.
- Mota, J., Gomes, H., Almeida, M., Ribeiro, J. C., Carvalho, J., & Santos, M. P. (2007). Active versus passive transportation to school-differences in screen time, socio-economic position and perceived environmental characteristics in adolescent girls. *Annals of Human Biology*. 34(3):273-82.
- 370 Motl, R. W., Dishman, R. K., Ward, D. S., Saunders, R. P., Dowda, M., Felton, G., & Pate, R. R. (2005). Perceived physical environment and physical activity across one year among adolescent girls: self-efficacy as a possible mediator? *Journal of Adolescent Health.*

37(5): 403-8.

- Moudon, A.V., Lee, C., Cheadle, A.D., Collier, C.W., Johnson, D., Schmid, T.L., et al. (2005). Cycling and the built environment, a US perspective. *Transportation Research Part D.*10:245-261.
- Mowen, A.J., Confer, J.J. (2003). The relationship between perceptions, distance, and socio-demographi charateristics upon public use of an urban park "in-fill". *Journal of Park and Recreation Administration*. 21(3):58-74.
- Muckelbauer, R., L. Libuda, et al. (2009). Long-term process evaluation of a school-based programme for overweight prevention. *Child: Care, Health, and Development.* 35(6): 851-7.
- Muckelbauer, R., Libuda, L., Clausen, K., Toschke, A.M., Reinehr, T., and Kersting, M. (2009). Promotion and provision of drinking water in schools for overweight prevention: Randomized, controlled cluster trial. *Pediatrics*. 123(4): e661-667.
- Muller, M., Asbeck, I., Mast, M., Langnase, K., Grund, A. (2001). Prevention of obesity-more than an intention. Concept and first results of the Kiel Obesity Prevention Study (KOPS). *International Journal of Obesity Related Metabolic Disorders*. 25 Suppl 1: S66-74
- Mushi-Brunt, C., Haire-Joshu, D., Elliott, M.B., and Brownson, R.C. (2007). Fruit and vegetable intake and obesity in preadolescent children: The role of neighborhood poverty and grocery store access. *American Journal of Health Education*. 38(5): 258-265.
- Nader, P.R., Sellers, D.E., Johnson, C.C., Perry, C.L., Stone, E.J., Cook, K.C., et al. (1996). The effect of adult participation in a school-based family intervention to improve Children's diet and physical activity: the Child and Adolescent Trial for Cardiovascular Health. *Preventive Medicine*. 25(4):455-64.
- 378 Nader, P.R., Stone, E.J., Lytle, L.A., Perry, C.L., Osganian, S.K., Kelder, S., et al. (1999).

 Three-year maintenance of improved diet and physical activity: the CATCH cohort. Child and Adolescent Trial for Cardiovascular Health. *Archives of Pediatric and Adolescent Medicine*. 153(7):695-704.
- Nahas, M.V., de Barros, M.V., de Assis, M.A., Hallal, P.C., Florindo, A.A., Konrad, L. (2009). Methods and participant characteristics of a randomized intervention to promote physical activity and healthy eating among Brazilian high school students: the Saude na Boa project. *Journal of Physical Activity and Health.* 6(2):153-62.
- Naylor, P., Macdonald, H., Reed, K., McKay, H. (2006). Action Schools! BC: a socioecological approach to modifying chronic disease risk factors in elementary school children. *Preventing Chronic Disease*. 3(2): A60.
- Naylor, P., Macdonald, H., Warburton, D., Reed, K., McKay, H. (2008). An active school model to promote physical activity in elementary schools: action schools! BC. British Journal of Sports Medicine. 42(5): 338-43.

- Naylor, P., Macdonald, H., Zebedee, J., Reed, K., McKay, H. (2006). Lessons learned from Action Schools! BC--an 'active school' model to promote physical activity in elementary schools. *Journal of Science and Medicine in Sport.* 9(5): 413-23.
- Neiger, B. L., R. Thackeray, et al. (2008). A policy and environmental response to overweight in childhood: the impact of Gold Medal Schools. *Preventing Chronic Disease*. 5(4): A132.
- Nelson, M., Lowes, K., and Hwang, V. (2007) The contribution of school meals to food consumption and nutrient intakes of young people aged 4-18 years in England. *Public Health Nutrition*. 10(7):652-662.
- Nelson, M.C., Gordon-Larsen, P., Song, Y., & Popkin, B. M. (2006). Built and social environments associations with adolescent overweight and activity. *American Journal of Preventive Medicine*.31(2):109-17.
- Nelson, N.M., Foley, E., O'Gorman, D.J., Moyna, N.M., and Woods, C.B. (2008). Active commuting to school: How far is too far? *International Journal of Behavioral Nutrition and Physical Activity*.5(1).
- Neumark-Sztainer, D., French, S., Hannan, P., Story, M., and Fulkerson, J.A. (2005). School lunch and snacking patterns among high school students: Associations with school food environment and policies. *International Journal of Behavioral Nutrition and Physical Activity.* 2.
- Neumark-Sztainer, D., Story, M., Hannan, P., Rex, J. Neumark-Sztainer, D., M. Story, et al. (2003). New Moves: a school-based obesity prevention program for adolescent girls. *Preventive Medicine.* 37(1): 41-51.
- Nicklas, T.A., Dwyer, J., Mitchell, P., Zive, M., Montgomery, D., Lytle, L., et al. (1996). Impact of fat reduction on micronutrient density of children's diets: the CATCH Study. *Preventive Medicine*. 25(4):478-85.
- Nicklas, T.A., Stone, E., Montgomery, D., Snyder, P., Zive, M., Ebzery, M.K., et al. (1994).

 Meeting the Dietary Goals for School Meals By the Year 2000: The CATCH Eat Smart School Nutrition Program. *Journal of Health Education*. 25(5):299-307.
- Norman, G.J., Nutter, S.K., Ryan, S., Sallis, J.F., Calfas, K.J., Patrick, K. (2006). Community Design and Access to Recreational Facilities as Correlates of Adolescent Physical Activity and Body-Mass Index. *Journal of Physical Activity and Health*. 3 (Supplement 1):S118-S128.
- Nucci, A.M. and Stuhldreher, W.L. (2003). Comparison of consumed lunch nutrient profiles of 6th-grade students before and after implementation of the West Virginia School Nutrition Standards. *The Journal of Child Nutrition and Management*. 1.
- Oakes, J.M., Forsyth, A., & Schmitz, K. H. (2007). The effects of neighborhood density and street connectivity on walking behavior: the Twin Cities walking study. *Epidemiologic Perspectives and Innovations*. 4:16.
- Obarzanek, E. and Pratt, C.A. (2003). Girls health Enrichment Multi-site Studies (GEMS):

- New approaches to obesity prevention among young African-American girls. *Ethnicity and Disease*. 13(1 Suppl 1): S1-5.
- Osganian, S.K., Ebzery, M.K., Montgomery, D.H., Nicklas, T.A., Evans, M.A., Mitchell, P.D., et al. (1996). Changes in the nutrient content of school lunches: results from the CATCH Eat Smart Food service Intervention. *Preventive Medicine*. 25(4):400-12.
- Osganian, S.K., Hoelscher, D.M., Zive, M., Mitchell, P.D., Snyder, P., Webber, L.S. (2003). Maintenance of effects of the eat smart school food service program: results from the CATCH-ON study. *Health Education and Behavior*. 30(4):418-33.
- Owen, N., Cerin, E., Leslie, E., duToit, L., Coffee, N., Frank, L.D., Bauman, A.E., Hugo, G., Saelens, B.E., and Sallis, J.F. (2007). Neighborhood walkability and the walking behavior of Australian adults. *American Journal of Preventive Medicine*. 33(5): 387-95.
- Pangrazi, R., Beighle, A., Vehige, T., Vack, C. (2003). Impact of Promoting Lifestyle Activity for Youth (PLAY) on children's physical activity. *Journal of School Health*. 73(8): 317-21.
- Panter, J.R., Jones, A.P. (2008). Associations between physical activity, perceptions of the neighbourhood environment and access to facilities in an English city. *Social Science and Medicine*. 67(11):1917-23.
- 400 Paradis, G., Levesque, L., Macaulay, A. C., Cargo, M., McComber, A., Kirby, R., et al. (2005). Impact of a diabetes prevention program on body size, physical activity, and diet among Kanien'keha:ka (Mohawk) children 6 to 11 years old: 8-year results from the Kahnawake Schools Diabetes Prevention Project. *Pediatrics* 115(2): 333-339.
- 401 Parker, L. and Fox, A. (2001). The Peterborough Schools Nutrition Project: A multiple intervention programme to improve school-based eating in secondary schools. *Public Health Nutrition*. 4(6): 1221-1228.
- Pate, R. R., Saunders, R. et al. (2007). Long-term effects of a physical activity intervention in high school girls. *American Journal of Preventive Medicine*. 33(4): 276-80.
- 403 Pate, R., Ward, D., Saunders, R., Felton, G., Dishman, R., Dowda, M. (2005). Promotion of physical activity among high-school girls: a randomized controlled trial. *American Journal of Public Health*. 95(9): 1582-7.
- 404 Pate, R.R., Colabianchi, N. Porter, D., Almeida, M.J., Lobelo, F., and Dowda, M. (2008). Physical activity and neighborhood resources in high school girls. *American Journal of Preventive Medicine*. 34(5): 413-9.
- 405 Pearce, J., Hiscock, R., Blakely, T., and Witten, K. (2008). The contextual effects of neighbourhood access to supermarkets and convenience stores on individual fruit and vegetable consumption. *Journal of Epidemiology and Community Health*. 62(3): 198-201.
- Pearson, T., Russell, J., Campbell, M.J., Barker, M.E. (2005). "Do 'food deserts' influence fruit and vegetable consumption?--a cross-sectional study." <u>Appetite</u> **45**: 195-197.

- 407 Perez-Rodrigo, C., Wind, M., Hildonen, C., Bjelland, M., Arencetta, J., Klepp, K., and Brug, J. (2005). The pro children intervention: Applying the intervention mapping protocol to develop a school-based fruit and vegetable promotion programme. *Annals of Nutrition and Metabolism.* 49(4): 267-277.
- 408 Perry, C.L., Bishop, D.B., Taylor, G., Murray, D.M., Mays, R.W., Dudovitz, B.S., Smyth, M., and Story, M. (1998). Changing fruit and vegetable consumption among children: The 5-a-Day Power Plus program in St. Paul, Minnesota. *American Journal of Public Health*. 88(4): 603-609.
- 409 Perry, C.L., Bishop, D.B., Taylor, G.L., Davis, M., Story, M., Gray, C., Bishop, S.C., Mays, R.A., Lytle, L.A., and Harnack, L. (2004). A randomized school trial of environmental strategies to encourage fruit and vegetable consumption among children. *Health Education and Behavior*. 31(1): 65-76.
- 410 Perry, C.L., Lytle, L.A., Feldman, H., Nicklas, T., Stone, E., Zive, M., et al. (1998). Effects of the Child and Adolescent Trial for Cardiovascular health (CATCH) on Fruit and Vegetable Intake. *Journal of Nutrition Education*. 30:354-360.
- Perry, C.L., Sellers, D.E., Johnson, C., Pedersen, S., Bachman, K.J., Parcel, G.S., et al. (1997). The Child and Adolescent Trial for Cardiovascular Health (CATCH): intervention, implementation, and feasibility for elementary schools in the United States. *Health Education and Behavior.* 24(6):716-35.
- 412 Plachta-Danielzik, S., Pust, S., Asbeck, I., Czerwinski-Mast, M., Langnase, K., Fischer, C., Bosy-Westphal, A., Kriwy, P., Muller, M. (2007). Four-year follow-up of school-based intervention on overweight children: the KOPS study. *Obesity (Silver Spring)*. 15(12): 3159-69.
- 413 Potvin, L., Cargo, M., McComber, A.M., Delormier, T., Macaulay, A. C. (2003). Implementing participatory intervention and research in communities: lessons from the Kahnawake Schools Diabetes Prevention Project in Canada. *Social Science and Medicine* 56: 1295-1305.
- Potwarka, L.R., Kaczynski, A.T., Flack, A.L. (2008). Places to Play: Association of Park Space and Facilities with Healthy Weight Status among Children. *Journal of Community Health*. 33:344-350.
- Powell, K.E., Martin, L.M., Chowdhury, P.P. (2003). Places to walk: convenience and regular physical activity. *American Journal of Public Health*. 93(9):1519-21.
- 416 Powell, L. M., Chaloupka, F. J., Slater, S. J., Johnston, L. D., and O'Malley, P. M. (2007). The availability of local-area commercial physical activity-related facilities and physical activity among adolescents. *American Journal of Preventive Medicine*. 33(4 Suppl): S292-300.
- 417 Powell, L.M. and Bao, Y. (2009). Food prices, access to food outlets and child weight. *Economics and Human Biology.* 7(1): 64-72.
- 418 Powell, L.M., Auld, M.C., Chaloupka, F.J., O'Malley, P.M., Johnston, L.D. (2007). Access to fast food and food prices: relationship with fruit and vegetable consumption and

- overweight among adolescents. *Advances in Health Economics and Health Services Research*. 17:23-48.
- 419 Powell, L.M., Auld, M.C., Chaloupka, F.J., O'Malley, P.M., and Johnston, L.D. (2007). Associations between access to food stores and adolescent body mass index. *American Journal of Preventive Medicine*. 33(4 Suppl): S301-307.
- Powell, L.M., Chriqui, J., and Chaloupka, F.J. (2009). Associations between state-level soda taxes and adolescent body mass index. *Journal of Adolescent Health.* 45(3 Suppl):S57-63.
- 421 Prell H., Berg, C., and Jonsson, L.M. (2002). Why don't adolescents eat fish? Factors influencing fish consumption in school. *Scandinavian Journal of Nutrition*. 46(4): 184-191.
- 422 Prell, H.C., Berg, M.C., Jonsson, L.M., and Lissner, L. (2005). A school-based intervention to promote dietary change. *Journal of Adolescent Health*. 36(6): 529.
- 423 Prezza, M., Pilloni, S., Morabito, C., Sersante, C., Alparone, F.R., Guiliani, M.V. (2001). The Influence of Psychosocial and Environmental Factors on Children's Independent Mobility and Relationship to Peer Frequentation. *Journal of Community & Applied Social* Psychology. 11: 435-450.
- 424 Rabin, B.A., Boehmer, T.K., Brownson, R.C. (2007). Cross-national comparison of environmental and policy correlates of obesity in Europe. *European Journal of Public Health*. 17(1):53-61.
- 425 Ransley, J.K., Greenwood, D.C., Cade, J.E., Blenkinsop, S., Schagen, I., Teeman, D., Scott, E., White, G., Schagen, S. (2007) Does the school fruit and vegetable scheme improve children's diet? A non-randomised controlled trial. *Journal of Epidemiology and Community Health*. 61(8):699-703.
- 426 Reed, J., Wilson, D.K., Ainsworth, B., Bowles, H., and Mixon, G. (2006). Perceptions of neighborhood sidewalks on walking and physical activity patterns in southeastern community in US. *Journal of Physical Activity and Health*. 3(2).
- 427 Reed, J.A., Phillips, D.A. (2005). Relationships between physical activity and the proximity of exercise facilities and home exercise equipment used by undergraduate university students. *Journal of American College Health*. 53(6):285-90.
- 428 Reed, K., Warburton, D., Macdonald, H., Naylor, P., McKay, H. (2008). Action Schools! BC: a school-based physical activity intervention designed to decrease cardiovascular disease risk factors in children. *Preventive Medicine*. 46(6): 525-31.
- 429 Reilly, J.J., Kelly, L., Montgomery, C., Williamson, A., Fisher, A., McColl, J.H., Lo Conte, R., Paton, J.Y., and Grant, S. (2006). Physical activity to prevent obesity in young children: cluster randomized controlled trial. *BMJ*. 333(7577): 1041.
- 430 Reinaerts, E., Crutzen, R., Candel, M., de Vries, N.K., and de Nooijer, J. (2008). Increasing fruit and vegetable intake among children: Comparing long-term effects of a free distribution and a multicomponent program. *Health Education Research*. 23(6): 987-996.

- 431 Reinaerts, E., de Nooijer, J., Candel, M., and de Vries, N. (2007). Increasing children's fruit and vegetable consumption: Distribution or a multicomponent programme? *Public Health Nutrition*. 10(9): 939-47.
- Reinaerts, E.B., de Nooijer, J., and de Vries, N. (2007). Fruit and vegetable distribution program versus a multicomponent program to increase fruit and vegetable consumption: Which should be recommended for implementation? *Journal of School Health.* 77(10): 679-686.
- 433 Reynolds, K.D., Franklin, F.A., Binkley, D., Raczynski, J.M., Harrington, K.F., Kirk, K.A., and Person, S. (2000). Increasing the fruit and vegetable consumption of fourth-graders: Results from the high 5 project. *Preventive Medicine*. 30(4): 309-319.
- 434 Reynolds, K.D., Franklin, F.A., Leviton, L.C., Maloy, J., Harrington, K.F., Yaroch, A.L., Person, S., and Jester, P. (2000). Methods, results, and lessons learned from process evaluation of the high 5 school-based nutrition intervention. *Health Education and Behavior*. 27(2): 177-186.
- Reynolds, K.D., Raczynski, J.M., Binkley, D., Franklin, F.A., Duvall, R.C., Devane-Hart, K., Harrington, K.F., Caldwell, E., Jester, P. Bragg, C., and Fouad, M. (1998). Design of High 5: A school-based study to promote fruit and vegetable consumption for reduction of cancer risk. *Journal of Cancer Education*. 13(3): 169-177.
- 436 Ridgers, N., Stratton, G., Fairclough, S., Twisk, J. (2007). Children's physical activity levels during school recess: a quasi-experimental intervention study. *International Journal of Behavioral Nutrition and Physical Activity.* 4: 19.
- 437 Ridgers, N., Stratton, G., Fairclough, S., Twisk, J. (2007). Long-term effects of a playground markings and physical structures on children's recess physical activity levels. *Preventive Medicine*. 44(5): 393-7.
- 438 Rinderknecht, K. and Smith, C. (2004). Social cognitive theory in an after-school nutrition intervention for urban Native American youth. *Journal of Nutrition Education and Behavior.* 36(6): 298-304.
- 439 Ritenbaugh, C., Teufel-Shone, N.I., Aickin, M.G., Joe, J.R., Poirier, S., Dillingham, D.C., et al. (2003). A lifestyle intervention improves plasma insulin levels among Native American high school youth. *Preventive Medicine*. 36(3):309-19.
- Riva, M., Gauvin, L., Richard, L. (2007). Use of local area facilities for involvement in physical activity in Canada: insights for developing environmental and policy interventions. *Health Promotion International*. 22(3):227-35.
- 441 Roberto, C.A., Agnew, H., and Brownell, K.D. (2009). An observational study of consumers' accessing of nutrition information in chain restaurants. *American Journal of Public Health*. 99(5): 820-821.
- 442 Robinson, T.N., Killen, J.D., Kraemer, H.C., Wilson, D.M., Matheson, D.M., Haskell, W.L., Pruitt, L.A., Powell, T.M., Owens, A.S., Thompson, N.S., Flint-Moore, N.M., Davis, G.J., Emig, K.A., Brown, R.T., Rochon, J., Green, S., and Varady, A. (2003). Dance and reducing television viewing to prevent weight gain in African-American girls: The

- Stanford GEMS pilot study. Ethnicity and Disease. 13(1 Suppl 1): S65-77.
- Robinson, T.N., Kraemer, H.C., Matheson, D.M., Obarzanek, E., Wilson, D.M., Haskell, W.L., Pruitt, L.A., Thompson, N.S., Haydel, K.F., Fujimoto, M., Varady, A., McCarthy, S., Watanabe, C., and Killen, J.D. (2008). Stanford GEMS phase 2 obesity prevention trial for low-income African-American girls: Design and sample baseline characteristics. *Contemporary Clinical Trials*. 29(1): 56-69.
- 444 Rochon, J., Klesges, R.C., Story, M., Robinson, T.N., Baranowski, T., Obarzanek, E., and Mitchell, M. (2003). Common design elements of the Girls health Enrichment Multi-site Studies (GEMS). *Ethnicity and Disease*. 13(1 Suppl 1): S6-14.
- Rodriguez, D. A., Khattak, A. J, Evenson, K.R. (2006). Can New Urbanism Encourage Physical Activity? *Journal of the American Planning Association*. 72(1): 43-49.
- Rodriguez, D.A., Aytur, S., Forsyth, A., Oakes, J.M., Clifton, K.J. (2008). Relation of modifiable neighborhood attributes to walking. *Preventive Medicine*. 47(3):260-4.
- 447 Roemmich, J.N., Epstein, L.H., Raja, S., Yin, L. (2007). The neighborhood and home environments: disparate relationships with physical activity and sedentary behaviors in youth. *Annals of Behavioral Medicine*. 33(1):29-38.
- 448 Romero, A.J., Robinson, T. N., Kraemer, H. C., Erickson, S. J., Haydel, K. F., Mendoza, F., & Killen, J. D. (2001). Are perceived neighborhood hazards a barrier to physical activity in children? *Archives of Pediatric and Adolescent Medicine*. 155(10):1143-8.
- Rose, D. and Richards, R. (2004). Food store access and household fruit and vegetable use among participants in the US Food Stamp Program. *Public Health Nutrition*. 7(8): 1081-1088.
- 450 Rosecrans, A.M., Gittelsohn, J., Ho, L.S., Harris, S.B., Naqshbandi, M., Sharma, S. (2008). Process evaluation of a multi-institutional community-based program for diabetes prevention among First Nations. *Health Education Research*. 23(2):272-86.
- 451 Rowland, D., DiGuiseppi, C., Gross, M., Afolabi, E., and Roberts, I. (2003). Randomized controlled trial of site specific advice on school travel patterns. *Archives of Disease in Childhood.* 88(1): 8-11.
- 452 Rundle, A., Neckerman, K.M., Freeman, L., Lovasi, G.S., Purciel, M., Quinn, J., Richards, C., Sircar, N., and Weiss, C. (2009). Neighborhood food environment and walkability predict obesity in New York City. *Environmental Health Perspectives*. 117(3): 442-447.
- 453 Russell, W.D. and Hutchinson, J. (2000). Comparison of health promotion and deterrent prompts in increasing use of stairs over escalators. *Perceptual and Motor Skills*. 91(1): 55-61.
- 454 Rutt, C.D., & Coleman, K.J. (2005). The Impact of the Built Environment on Walking as a Leisure-Time Activity Along the U.S./Mexico Border. *Journal of Physical Activity and Health*. 3:257-271.
- Rutt, C.D., Coleman, K.J. (2004). Examining the relationships among built environment, physical activity, and body mass index in El Paso, TX. *Preventive Medicine*. 40(6):831-

- 456 Rutten, A., Abel, T., Kannas, L., von Lengerke, T., Luschen, G., Diaz, J.A., Vinck, J., and van der Zee, J. (2001). Self reported physical activity, public health, and perceived environment: Results from a comparative European study. *Journal of Epidemiology and Community Health*. 55(2): 139-46.
- 457 Saelens, B.E., Sallis, J. F., Black, J. B., Chen, D. (2003). Neighborhood-based differences in physical activity: an environment scale evaluation. *American Journal of Public Health*.93(9):1552-8.
- 458 Sahota, P., Rudolf, M.C., Dixey, R., Hill, A.J., Barth, J.H., Cade, J. (2001). Evaluation of implementation and effect of primary school based intervention to reduce risk factors for obesity. *British Medical Journal*. 323(7320):1027-9.
- Sahota, P., Rudolf, M.C., Dixey, R., Hill, A.J., Barth, J.H., Cade, J. (2001). Randomized controlled trial of primary school based intervention to reduce risk factors for obesity. *British Medical Journal*. 323(7320):1029-32.
- Saksvig, B.I., Gittelsohn, J., Harris, S.B., Hanley, A.J., Valente, T.W., Zinman, B. (2005). A pilot school-based healthy eating and physical activity intervention improves diet, food knowledge, and self-efficacy for native Canadian children. *Journal of Nutrition*. 135(10):2392-8.
- Sallis, J., McKenzie, T., Alcaraz, J., Kolody, B., Faucette, N., Hovell, M. (1997). The effects of a 2-year physical education program (SPARK) on physical activity and fitness in elementary school students. Sports, Play and Active Recreation for Kids. *American Journal of Public Health*. 87(8): 1328-34.
- Sallis, J., McKenzie, T., Alcaraz, J., Kolody, B., Hovell, M., Nader, P. (1993). Project SPARK. Effects of physical education on adiposity in children. *Annals of the New York Academy of Science*. 699:127-36.
- Sallis, J., McKenzie, T., Conway, T. (2003). Environmental interventions for eating and physical activity. *American Journal of Preventive Medicine*. 24(3).
- Sallis, J., McKenzie, T., Kolody, B., Lewis, M., Marshall, S., Rosengard, P. (1999). Effects of health-related physical education on academic achievement: project SPARK. Research Quarterly for Exercise and Sport. 70(2): 127-34.
- Sallis, J.F., Saelens, B.E., Frank, L.D., Conway, T.L., Slymen, D.J., Cain, K.L., et al. (2009). Neighborhood built environment and income: examining multiple health outcomes. Social Science and Medicine. 68(7):1285-93.
- 466 Salmon, J., Salmon, L., Crawford, D.A., Hume, C., Timperio, A. (2007). Associations among individual, social, and environmental barriers and children's walking or cycling to school. American Journal of Health Promotion. 22(2):107-113.
- Samimi, A., Mohammadian, A., Mdanizadeh, S. (2009). Effects of transportation and built environment on general health and obesity. *Transportation Research Part-D*.14(1).

- 468 Sanderson, B.K., Foushee, H. R., Bittner, V., Cornell, C. E., Stalker, V., Shelton, S., & Pulley, L.(2003). Personal, social, and physical environmental correlates of physical activity in rural African-American women in Alabama. *American Journal of Preventive Medicine*. 25(3 Suppl 1):30-7.
- Santana P, Santos R, Nogueira H. (2009). The link between local environment and obesity: a multilevel analysis in the Lisbon Metropolitan Area, Portugal. *Social Science and Medicine*. 68(4):601-9.
- 470 Santos, R., Silva, P., Santos, P., Ribeiro, J. C., & Mota, J. (2008). Physical activity and perceived environmental attributes in a sample of Portuguese adults: results from the Azorean Physical Activity and Health study. *Preventive Medicine*. 47(1):83-8.
- Saunders, R. P., Ward, D. et al. (2006). Examining the link between program implementation and behavior outcomes in the lifestyle education for activity program (LEAP). *Evaluation and Program Planning*. 29(4): 352-64.
- Schlossberg, M., Greene, J., Phillips, P.P., Johnson, B., Parker, B. (2006). School Trips: Effects of Urban Form and Distance on Travel Mode. *Journal of the American Planning Association*. 72(3):337-346.
- 473 Schneider, D.J. and May, G. (2006). Evaluation of fruit and vegetable distribution program-Mississippi, 2004-2005 school year. *Center for Disease Control and Prevention*, *Morbidity and Mortality Weekly Report.* 55(35): 957-961.
- Schwartz, M.B. (2007). The influence of a verbal prompt on school lunch fruit consumption: A pilot study. *International Journal of Behavioral Nutrition and Physical Activity.* 4(6).
- Schwartz, M.B., Novak, S.A., and Fiore, S.S. (2009). The impact of removing snacks of low nutritional value from middle schools. *Health Education and Behavior*. 36(6): 999-1011.
- 476 Scott, M.M., Evenson, K.R., Cohen, D.A., and Cox, C.E. (2007). Comparing perceived and objectively measured access to recreational facilities as predictors of physical activity in adolescent girls. *Journal of Urban Health*. 84(3): 346-59.
- 477 Scruggs, P., Beveridge, S., Watson, D. (2003). Increasing Children's School Time Physical Activity Using Structured Fitness Breaks. *Pediatric Exercise Science*. 15: 156-169.
- Sharpe, P.A., Granner, M. L., Hutto, B., & Ainsworth, B. E. (2004). Association of environmental factors to meeting physical activity recommendations in two South Carolina counties. *American Journal of Health Promotion*. 18(3):251-7.
- Shaw-Perry, M., Horner, C., Trevino, R., Sosa, E., Hernandez, I., Bhardwaj, A. (2007). NEEMA: a school-based diabetes risk prevention program designed for African-American children. *Journal of the National Medical Association.* 99(4): 368-75.
- Shemilt, I., Harvey, I., Shepstone, L., Swift, L., Reading, R., Mugford, M., Belderson, P., Norris, N., Thoburn, J., and Robinson, J. (2004) A national evaluation of school breakfast clubs: Evidence from a cluster randomized controlled trial and an observational analysis. Child Care, Health, and Development. 30(5):413-427.

- Shemilt, I., Mugford, M., Moffatt, P., Harvey, I., Reading, R., Shepstone, L., and Belderson, P. (2004) A national evaluation of school breakfast clubs: Where does economics fit in? Child Care, Health, and Development. 30(5):429-437.
- Shores, K.A. and West, S.T. (2008). The relationship between built park environments and physical activity in four park locations. *Journal of Public Health Management Practice*. 14(3): E9-16.
- Siega-Riz, A.M., Kranz, S., Blanchette, D., Haines, P.S., Guilkey, D.K., and Popkin, B.M. (2004). The effect of participation in the WIC program on preschoolers' diets. *Journal of Pediatrics*.144(2):229-234.
- 484 Simmons, D., McKenzie, A., Eaton, S., Cox, N., Khan, M.A., Shaw, J., and Zimmet, P. (2005). Choice and availability of takeaway and restaurant food is not related to the prevalence of adult obesity in rural communities in Australia. *International Journal of Obesity (London)*. 29(6): 703-710.
- Simon, C., Schweitzer, B., Oujaa, M., Wagner, A., Arveiler, D., Triby, E., Copin, N., Blanc, S., Platat, C. (2008). Successful overweight prevention in adolescents by increasing physical activity: a 4-year randomized controlled intervention. *International Journal of Obesity (London)*. 32(10): 1489-98.
- Simon, C., Wagner, A., DiVita, C., Rauscher, E., Klein-Platat, C., Arveiler, D., Schweitzer, B., Triby, E. (2004). Intervention centred on adolescents' physical activity and sedentary behaviour (ICAPS): concept and 6-month results. *International Journal of Obesity Related Metabolic Disorders*. 28 Suppl 3: S96-S103.
- Simon, C., Wagner, A., Platat, C., Arveiler, D., Schweitzer, B., Schlienger, J. L., Triby, E. (2006). ICAPS: a multilevel program to improve physical activity in adolescents. *Diabetes and Metabolism.* 32(1): 41-9.
- Sisson, S.B., Lee, S.M., Burns, E.K., and Tudor-Locke, C. (2006). Suitability of commuting by bicycle to Arizona elementary schools. *American Journal of Health Promotion*. 20(3): 210-213.
- Slawta, J., Bentley, J., Smith, J., Kelly, J., and Syman-Degler, L. (2008). Promoting healthy lifestyles in children: A pilot program of Be a Fit Kid. Health Promotion Practice. 9(3): 305-312.
- 490 Slusser, W., Cumberland, W., Browdy, B., Lange, L., and Neumann, C. (2007). A school salad bar increases frequency of fruit and vegetable consumption among children living in low-income households. *Public Health Nutrition*. 10(12): 1490-1496.
- 491 Smith, K.R., Brown, B.B., Yamada, I., Kowaleski-Jones, L., Zick, C.D., Fan, J.X.(2008).
 Walkability and body mass index density, design, and new diversity measures.
 American Journal of Preventive Medicine. 35(3):237-44.
- 492 Snyder, P., Anliker, J., Cunningham-Sabo, L., Dixon, L.B., Altaha, J., Chamberlain, A., et al. (1999). The Pathways study: a model for lowering the fat in school meals. *American Journal of Clinical Nutrition*. 69(4 Suppl):810S-815S.

- Sollerhed, A., Ejlertsson, G. (2008). Physical benefits of expanded physical education in primary school: findings from a 3-year intervention study in Sweden. *Scandinavian Journal of Medicine and Science in Sports.* 18(1): 102-7.
- Somerset, S. and Markwell, K. (2008). Impact of a school-based food garden on attitudes and identification skills regarding vegetables and fruit: A 12-month intervention trial. *Public Health Nutrition*. 12(2): 214-221.
- Spark, A., Pfau, J., Nicklas, T.A., and Williams, C.L. (1998). Reducing fat in preschool meals: Description of the foodservice intervention component of Healthy Start. *Journal* of Nutrition Education. 30(3): 170-177.
- 496 Spence, J.C., Cutumisu, N., Edwards, J., Evans, J. (2008). Influence of neighbourhood design and access to facilities on overweight among preschool children. *International Journal of Pediatric Obesity*. 3(2):109-16.
- 497 Stafford, M., Cummins, S., Ellaway, A., Sacker, A. Wiggins, R. D. & Macintyre, S. (2007). Pathways to obesity: identifying local, modifiable determinants of physical activity and diet. Social Science and Medicine. 65(9):1882-97.
- 498 Stahl, T., Rutten, A., Nutbeam, D., Bauman, A., Kannas, L., Abel, T., Luschen, G., Rodriquez, D. J., Vinck, J., and van der Zee, J. (2001). The importance of the social environment for physically active lifestyle--results from an international study. *Social Science Medicine*. 52(1): 1-10.
- 499 Staunton, C.E., Hubsmith, D., and Kallins, W. (2003). Promoting safe walking and biking to school: The Marin County success story. *American Journal of Public Health*. 93(9): 1431-1434.
- Steckler, A., Ethelbah, B., Martin, C.J., Stewart, D., Pardilla, M., Gittelsohn, J., et al. (2003). Pathways process evaluation results: a school-based prevention trial to promote healthful diet and physical activity in American Indian third, fourth, and fifth grade students. *Preventive Medicine*. 37(6 Pt 2):S80-90.
- 501 Steenhuis, I., Van Assema, P., Van Breukelen, G., and Glanz, K. (2004). The effectiveness of nutrition education and labeling in Dutch supermarkets. *American Journal of Health Promotion*.18(3): 221-224.
- 502 Stevens, J., Murray, D., Catellier, D., Hannan, P., Lytle, L., Elder, J., Young, D., Simons-Morton, D., Webber, L. (2005). Design of the Trial of Activity in Adolescent Girls (TAAG). Contemporary Clinical Trials. 26(2): 223-33.
- Stevens, J., Story, M., Ring, K., Murray, D.M., Cornell, C.E., Juhaeri, et al. (2003). The impact of the Pathways intervention on psychosocial variables related to diet and physical activity in American Indian schoolchildren. *Preventive Medicine*. 37(6 Pt 2):S70-9.
- Stone, E. J., S. K. Osganian, et al. (1996). Operational design and quality control in the CATCH multicenter Trial. *Preventive Medicine*. 25(4): 384-99.
- Stone, E.J., Norman, J.E., Davis, S.M., Stewart, D., Clay, T.E., Caballero, B., et al. (2003).

- Design, implementation, and quality control in the Pathways American-Indian multicenter trial. *Preventive Medicine.* 37(6 Pt 2):S13-23.
- Story, M. (2009). The third School Nutrition Dietary Assessment Study: Findings and policy implications for improving the health of US children. *Journal of the American Dietetic* Association. 109(2 Suppl): S7-13.
- 507 Story, M., Lytle, L.A., Birnbaum, A.S., and Perry, C.L. (2002). Peer-led, school-based nutrition education for young adolescents: Feasibility and process evaluation of the TEENS study. *Journal of School Health*. 72(3): 121-127.
- 508 Story, M., Mays, R.W., Bishop, D.B., Perry, C.L., Taylor, G., Smyth, M., and Gray, C. (2000). 5-a-day Power Plus: Process evaluation of a multi-component elementary school program to increase fruit and vegetable consumption. *Health Education and Behavior*. 27(2): 187-200.
- Story, M., Sherwood, N.E., Obarzanek, E., Beech, B.M., Baranowski, J.C., Thompson, N.S., Owens, A.S., Mitchell, M., and Rochon, J. (2003). Recruitment of African-American preadolescent girls into an obesity prevention trial: The GEMS pilot studies. *Ethnicity and Disease*. 13(1 Suppl 1): S78-87.
- Story, M., Snyder, M.P., Anliker, J., Weber, J.L., Cunningham-Sabo, L., Stone, E.J., et al. (2003). Changes in the nutrient content of school lunches: results from the Pathways study. *Preventive Medicine*. 37(6 Pt 2):S35-45.
- Stratton, G. (2000). Promoting children's physical activity in primary school: an intervention study using playground markings. *Ergonomics*. 43(10): 1538-46.
- 512 Stratton, G., Leonard, J. (2002). The Effects of Playground Markings on the Energy Expenditure of 5-7-Year-Old School Children. *Pediatric Exercise Science*. 14: 170-180.
- 513 Stratton, G., Mullan, E. (2005). The effect of multicolor playground markings on children's physical activity level during recess. *Preventive Medicine*. 41(5-6): 828-33.
- Stubenitsky, K., Aaron, J., Catt, S., and Mela, D. (2000). The influence of recipe modification and nutritional information on restaurant food acceptance and macronutrient intakes. *Public Health Nutrition*. 3(2): 201-209.
- Sturm, R. and Datar, A. (2005). Body mass index in elementary school children, metropolitan area food prices and food outlet density. *Public Health.* 119(12): 1059-1068.
- 516 Sturm, R. and Datar, A. (2008). Food prices and weight gain during elementary school: 5-year update. *Public Health*. 122(11): 1140-1143.
- 517 Suminski, R. R., Poston, W. S., Petosa, R. L., Stevens, E., & Katzenmoyer, L. M. (2005). Features of the neighborhood environment and walking by U.S. adults. *American Journal of Preventive Medicine*. 28(2):149-55.
- Suminski, R.R., Heinrich, K.M., Poston, W.S., Hyder, M., and Pyle, S. (2008).

 Characteristics of urban sidewalks/streets and objectively measured physical activity.

- Journal of Urban Health. 85(2): 178-190.
- Taylor R., McAuley K., Barbezat W., Farmer V., Williams S., Mann J. (2008). Two-year follow-up of an obesity prevention initiative in children: the APPLE project. *American Journal of Clinical Nutrition*. 88: 1371-7.
- Taylor, R., McAuley, K., Barbezat, W., Strong, A., Williams, S., Mann, J. (2007). APPLE Project: 2-y findings of a community-based obesity prevention program in primary school age children. *American Journal of Clinical Nutrition.* 86(3): 735-42.
- Taylor, R., McAuley, K., Williams, S., Barbezat, W., Nielsen, G., Mann, J. (2006). Reducing weight gain in children through enhancing physical activity and nutrition: the APPLE project. *International Journal of Pediatric Obesity*. 1(3): 146-52.
- Te Velde, S.J., Brug, J., Wind., M., Hildonen, C., Bjelland, M., Pérez-Rodrigo, C., and Klepp, K.I. (2008). Effects of a comprehensive fruit- and vegetable-promoting school-based intervention in three European countries: The Pro Children Study. *British Journal of Nutrition*. 99(4): 893-903.
- Tester, J. and Baker, R. (2009). Making the playfields even: Evaluating the impact of an environmental intervention on park use and physical activity. *Preventive Medicine*. 48: 316-320.
- Teufel, N.I., Perry, C.L., Story, M., Flint-Wagner, H.G., Levin, S., Clay, T.E., et al. (1999).
 Pathways family intervention for third-grade American Indian children. *American Journal of Clinical Nutrition*. 69(4 Suppl):803S-809S.
- Teufel, N.I., Ritenbaugh, C.K. (1998). Development of a primary prevention program: insight gained in the Zuni Diabetes Prevention Program. *Clinical Pediatrics (Philadelphia)*. 37(2):131-41.
- 526 Tilt, J.H., Unfried, T.M., Roca B. (2007). Using objective and subjective measures of neighborhood greenness and accessible destinations for understanding walking trips and BMI in Seattle, Washington. *American Journal of Health Promotion*;21(4 Suppl):371-9.
- Timperio, A., Ball, K., Roberts, R., Campbell, K., Andrianopoulos, N., and Crawford, D. (2007). Children's fruit and vegetable intake: Associations with the neighbourhood food environment. *Preventive Medicine*. 46(4): 331-335.
- Timperio, A., Ball, K., Salmon, J., Roberts, R., Giles-Corti, B., Simmons, D., et al. (2006).
 Personal, family, social, and environmental correlates of active commuting to school.
 American Journal of Preventive Medicine. 30(1):45-51.
- Timperio, A., Crawford, D., Telford, A., Salmon, J. (2004). Perceptions about the local neighborhood and walking and cycling among children. *Preventive Medicine*. 38:39-47.
- Timperio, A., Giles-Corti, B., Crawford, D., Andrianopoulos, N., Ball, K., Salmon, J., and Hume, C. (2008). Features of public open spaces and physical activity among children: findings from the CLAN study. *Preventive Medicine*. 47(5): 514-8.

- Timperio, A., Salmon, J., Telford, A., Crawford, D. (2005). Perceptions of local neighbourhood environments and their relationship to childhood overweight and obesity. *International Journal of Obesity (London)*. 29(2):170-5.
- Treuth, M.S., Sherwood, N.E., Baranowski, T., Butte, N.F., Jacobs, D.R., Jr., McClanahan, B., Gao, S., Rochon, J., Zhou, A., Robinson, T.N., Pruitt, L., Haskell, W., and Obarzanek, E. (2004). Physical activity self-report and accelerometry measures from the Girls health Enrichment Multi-site Studies. *Preventive Medicine*. 38 Suppl: S43-49.
- Troped, P.J., Saunders, R. P., Pate, R. R., Reininger, B., & Addy, C. L. (2003). Correlates of recreational and transportation physical activity among adults in a New England community. *Preventive Medicine*. 37(4):304-10.
- Troped, P.J., Saunders, R.P., Pate, R.R., Reininger, B., Ureda, J.R., Thompson, S.J. (2001). Associations between Self-Reported and Objective Physical Environmental Factors and Use of a Community Rail-Trail. *Preventive Medicine*. 32:191-200.
- Trost, S. G., Fees, B., & Dzewaltowski, D. (2008). Feasibility and efficacy of a "move and learn" physical activity curriculum in preschool children. *Journal of Physical Activity and Health.* 5(1): 88-103.
- Trudeau, F., Espindola, R., Laurencelle, L., Dulac, F., Rajic, M., Shephard, R. (2000).
 Follow-up of participants in the Trois-Rivieres Growth and Development Study:
 Examining their health-related fitness and risk factors as adults. *American Journal of Human Biology*. 12(2): 207-213.
- Trudeau, F., Laurencelle, L., Shephard, R. (2004). Tracking of physical activity from childhood to adulthood." *Medicine and Science in Sports and Exercise*. 36(11): 1937-43.
- 538 Trudeau, F., Shephard, R., Arsenault, F., Laurencelle, L. (2001). Changes in adiposity and body mass index from late childhood to adult life in the Trois-Rivieres study. *American Journal of Human Biology.* 13(3): 349-55.
- Trudeau, F., Shephard, R., Arsenault, F., Laurencelle, L. (2003). Tracking of physical fitness from childhood to adulthood. *Canadian Journal of Applied Physiology*. 28(2): 257-71.
- 540 Trudeau, F., Shephard, R., Bouchard, S., Laurencelle, L. (2003). BMI in the Trois-Rivieres study: child-adult and child-parent relationships. *American Journal of Human Biology*. 15(2): 187-91.
- Tucker, P., Irwin, J. D., Gilliland, J., He, M., Larsen, K., & Hess, P. (2009). Environmental influences on physical activity levels in youth. *Health Place*. 15(1):357-63.
- Tudor-Locke, C., Giles-Corti, B., Knuiman, M., and McCormack, G. (2008). Tracking of pedometer-determined physical activity in adults who relocate: results from RESIDE. *International Journal of Behavioral Nutrition and Physical Activity*.5(39).
- 543 Utter, J., Denny, S., Robinson, E. M., Ameratunga, S., & Watson, P. (2006). Perceived access to community facilities, social motivation, and physical activity among New Zealand youth. *Journal of Adolescent Health*. 39(5): 770-3.

- Van Beurden, E., Barnett, L., Zask, A., Dietrich, U., Brooks, L., Beard, J. (2003). Can we skill and activate children through primary school physical education lessons? "Move it Groove it"-a collaborative health promotion intervention. *Preventive Medicine*. 36: 493-501.
- Vastine, A., Gittelsohn, J., Ethelbah, B., Anliker, J., and Caballero B. (2005). Formative research and stakeholder participation in intervention development. *American Journal of Health Behavior*. 29(1): 57-69.
- Vecchiarelli, S., Takayanagi, S., Neumann, C. (2006). Students' perceptions of the impact of nutrition policies on dietary behaviors. *Journal of School Health*. 76(10): 525-31; quiz 540-542.
- Ver Ploeg, M., Mancino, L., Lin, B.H., and Guthrie, J. (2008). US Food assistance programs and trends in children's weight. *International Journal of Pediatric Obesity*. 3(1): 22-30.
- Vereecken, C., Huybrechts, I., Maes, L., and De Henauw, S. (2008). Food consumption among preschoolers. Does the school make a difference?" *Appetite*. 51(3): 723-726.
- Vernez Moudon, A., Lee, C., Cheadle, A.D., Garvin, C., Rd, D.B., Schmid, T.L., and Weathers, R.D. (2007). Attributes of environments supporting walking. *American Journal of Health Promotion*. 21(5): 448-59.
- Verstraete, S., Cardon, G., De Clercq, D., De Bourdeaudhuij, I. (2006). Increasing children's physical activity levels during recess periods in elementary schools: the effects of providing game equipment. *European Journal of Public Health*. 16(4): 415-9.
- Verstraete, S., Cardon, G., De Clercq, D., De Bourdeaudhuij, I. (2007). A comprehensive physical activity promotion programme at elementary school: the effects on physical activity, physical fitness and psychosocial correlates of physical activity. *Public Health Nutrition*. 10(5): 477-84.
- Verstraete, S., Cardon, G., De Clercq, D., De Bourdeaudhuij, I. (2007). Effectiveness of a Two-Year Health-Related Physical Education Intervention in Elementary Schools. Journal of Teaching in Physical Education. 26: 20-34.
- Veugelers, P.J. and Fitzgerald, A.L. (2005). Effectiveness of school programs in preventing childhood obesity: A multilevel comparison. *American Journal of Public Health*. 95(3): 432-435.
- Veugelers, P.J., Sithole, F., Zhang, S., & Muhajarine N. (2008). Neighbourhood characteristics in relation to diet, physical activity and overweight of Canadian children. *International Journal of Pediatric Obesity*. 3:152-159.
- Voorhees, C.C., & Young, D. R. (2003). Personal, social, and physical environmental correlates of physical activity levels in urban Latinas. *American Journal of Preventive Medicine*. 25(3Si):61-68.
- Wang, G., Macera, C.A., Scudder-Soucie, B., Schmid, T., Pratt, M., and Buchner, D. (2004).
 Cost effectiveness of a bicycle/pedestrian trail development in health promotion.
 Preventive Medicine. 38(2): 237-42.

- Wang, L. Y., Gutin, B., Barbeau, P., Moore, J. B., Hanes, J., Jr., Johnson, M. H., Cavnar, M., Thornburg, J., & Yin, Z. (2008). Cost-effectiveness of a school-based obesity prevention program. *Journal of School Health*. 78(12): 619-24.
- Wang, M.C., Cubbin C, Ahn, D, and Winkleby M. (2007). Changes in neighbourhood food store environment, food behaviour and body mass index, 1981-1990. *Public Health Nutrition*. 11(9): 963-970.
- Wang, M.C., Kim, S., Gonzalez, A.A., MacLeod, K.E., and Winkleby, M.A. (2007). Socioeconomic and food-related physical characteristics of the neighbourhood environment are associated with body mass index. *Journal of Epidemiology and Community Health*. 61(6): 491-498.
- Ward, D. S., Benjamin, S. E., Ammerman, A. S., Ball, S. C., Neelon, B. H., & Bangdiwala, S. I. (2008). Nutrition and physical activity in child care: results from an environmental intervention. *American Journal of Preventive Medicine*. 35(4): 352-6.
- Ward, D., Saunders, R., Felton, G., Williams, E., Epping, J., Pate, R. (2006). Implementation of a school environment intervention to increase physical activity in high school girls. Health Education Research. 21(6): 896-910.
- Wardle, J., Brodersen, N., Boniface, D. (2007). School-based physical activity and changes in adiposity. *International Journal of Obesity (London)*. 31(9): 1464-8.
- Webb, A.L., Schiff, A., Currivan, D., and Villamor, E. (2008). Food Stamp Program participation but not food insecurity is associated with higher adult BMI in Massachusetts residents living in low-income neighbourhoods. *Public Health Nutrition*. 11(12): 1248-1255.
- Webb, O.J., and Eves, F.F. (2007). Promoting stair climbing: Intervention effects generalize to a subsequent stair ascent. *American Journal of Health Promotion*. 22(2): 114-119.
- Webber, L., Catellier, D., Lytle, L., Murray, D., Pratt, C., Young, D., Elder, J., Lohman, T., Stevens, J., Jobe, J., Pate, R. (2008). Promoting physical activity in middle school girls: Trial of Activity for Adolescent Girls. *American Journal of Preventive Medicine*. 34(3): 173-84.
- Webber, L.S., Osganian, S.K., Feldman, H.A., Wu, M., McKenzie, T.L., Nichaman, M., et al. (1996). Cardiovascular risk factors among children after a 2 1/2-year intervention-The CATCH Study. *Preventive Medicine*. 25(4):432-41.
- Weir, L. A., Etelson, D., & Brand, D. A. (2006). Parents' perceptions of neighborhood safety and children's physical activity. *Preventive Medicine*. 43(3): 212-7.
- Wells, L. and Nelson, M. (2005). The National School Fruit Scheme produces short term but not longer term increases in fruit consumption in primary school children. *British Journal of Nutrition*. 93: 537-542.
- Wells, N. M. and Yang, Y. (2008). Neighborhood design and walking. A quasi-experimental longitudinal study. *American Journal of Preventive Medicine*. 34(4): 313-9.

- Wen, M., & Zhang, X. (2009). Contextual effects of built and social environments of urban neighborhoods on exercise: a multilevel study in Chicago. *American Journal of Health Promotion*. 23(4): 247-54.
- Wen, M., Kandula, N. R., & Lauderdale, D. S. (2007). Walking for transportation or leisure: what difference does the neighborhood make? *Journal of General Internal Medicine*. 22(12):1674-80.
- Wendel-Vos, G.C., Schuit, A.J., de Niet, R., Boshuizen, H.C., Saris, W.H., Kromhout, D. (2004). Factors of the physical environment associated with walking and bicycling. *Medicine and Science in Sports and Exercise.* 36(4):725-30.
- Wiggs, I., Brownson, R.C., and Baker, E.A. (2006). If you build it, they will come: Lessons from developing walking trails in rural Missouri. *Health Promotion Practice*. 9(4): 387-394.
- Willenberg, L., Ashbolt, R., Holland, D., Gibbs, L., Macdougall, C., Garrard, J., Green, J., Waters, E. (2009). Increasing school playground physical activity: A mixed methods study combining environmental measures and children's perspectives. *Journal of Science and Medicine in Sports.* 13(2).
- Williams, C. L., Carter, B. J., Kibbe, D. L., & Dennison, D. (2009). Increasing physical activity in preschool: a pilot study to evaluate animal trackers. *Journal of Nutrition Education and Behavior.* 41(1): 47-52.
- Williams, C.L., Bollella, M.C., Strobino, B.A., Spark, A., Nicklas, T.A., Tolosi, L.B., and Pittman, B.P. (2002). "Healthy-start": Outcome of an intervention to promote a heart healthy diet in preschool children. *Journal of the American College of Nutrition*. 21(1): 62-71.
- Williams, C.L., Squillace, M.M., Bollella, M.C., Brotanek, J., Campanaro, L., D'Agostino, C., Pfau, J., Sprance, L., Strobino, B.A., Spark, A., and Boccio, L. (1998). Healthy Start: A comprehensive health education program for preschool children. *Preventive Medicine*. 27(2): 216-223.
- Williams, C.L., Strobino, B.A., Bollella, M., and Brotanek, J. (2004). Cardiovascular risk reduction in preschool children: The "Healthy Start" project. *Journal of the American College of Nutrition*. 23(2): 117-123.
- Williamson, D.A., Copeland, A.L., Anton, S.D., Champagne, C., Han, H., Lewis, L., Martin, C., Newton, R.L., Sothern, M., Stewart, T., Ryan, D. (2007). Wise Mind Project: A School-based Environmental Approach for Preventing Weight Gain in Children. *Obesity*. 15(4):906-917.
- Williden, M., Taylor, R., McAuley, K., Simpson, J., Oakley, M., Mann, J. (2006). The APPLE project: An investigation of the barriers and promoters of healthy eating and physical activity in New Zealand children aged 5-12 years. *Health Education Journal*. 65(2): 135-148.
- Wilson, D. K., Evans, A. E., Williams, J., Mixon, G., Sirard, J. R., & Pate, R. (2005). A preliminary test of a student-centered intervention on increasing physical activity in

- underserved adolescents. Annals of Behavioral Medicine. 30(2): 119-24.
- Wilson, D.K., Ainsworth, B.E., Bowles, H. (2007). Body mass index and environmental supports for physical activity among active and inactive residents of a U. S. southeastern county. *Health Psychology*. 26(6):710-7.
- Wilson, D.K., Kirtland, K. A., Ainsworth, B. E., & Addy, C. L. (2004). Socioeconomic status and perceptions of access and safety for physical activity. *Annals of Behavioral Medicine*. 28(1):20-8.
- Wind, M., Bjelland, M., Pérez-Rodrigo, C., Te Velde, S.J., Hildonen, C., Bere, E., Klepp, K., and Brug, J. (2008). Appreciation and implementation of a school-based intervention are associated with changes in fruit and vegetable intake in 10- to 13-year old schoolchildren--the Pro Children study. Health Education Research. 23(6): 997-1007.
- Witten, K., Hiscock, R., Pearce, J., and Blakely, T. (2008). Neighbourhood access to open spaces and the physical activity of residents: a national study. *Preventive Medicine*. 47(3): 299-303.
- Wojcicki, J.M. and Heyman, M.B. (2006). Healthier choices and increased participation in a middle school lunch program: Effects of nutrition policy changes in San Francisco. American Journal of Public Health. 96(9): 1542-1547.
- Yamamoto, J.A., Yamamoto, J.B., Yamamoto, B.E., and Yamamoto, L.G. (2005).

 Adolescent fast food and restaurant ordering behavior with and without calorie and fat content menu information. *Journal of Adolescent Health*. 37(5): 397-402.
- Yin, Z., Gutin, B., Johnson, M. H., Hanes, J., Jr., Moore, J. B., Cavnar, M., Thornburg, J., Moore, D., & Barbeau, P. (2005). An environmental approach to obesity prevention in children: Medical College of Georgia FitKid Project year 1 results. *Obesity Research*. 13(12): 2153-61.
- Yin, Z., Hanes, J., Jr., Moore, J. B., Humbles, P., Barbeau, P., & Gutin, B. (2005). An afterschool physical activity program for obesity prevention in children: the Medical College of Georgia FitKid Project. *Evaluation and the Health Professions*. 28(1): 67-89.
- 590 Yin, Z., Moore, J. B., Johnson, M. H., Barbeau, P., Cavnar, M., Thornburg, J., & Gutin, B. (2005). The Medical College of Georgia Fitkid project: the relations between program attendance and changes in outcomes in year 1. *International Journal of Obesity (London)*. 29 Suppl 2: S40-5.
- Young, D. R., A. Steckler, et al. (2008). Process evaluation results from a school- and community-linked intervention: the Trial of Activity for Adolescent Girls (TAAG). Health Education Research. 23(6): 976-86.
- Young, D., Johnson, C., Steckler, A., Gittelsohn, J., Saunders, R., Saksvig, B., Ribisl, K., Lytle, L., McKenzie, T. (2006). Data to action: using formative research to develop intervention programs to increase physical activity in adolescent girls. *Health Education* and Behavior. 33(1): 97-111.
- Young, D., Phillips, J., Yu, T., Haythornthwaite, J. (2006). Effects of a life skills intervention

- for increasing physical activity in adolescent girls. *Archives of Pediatric and Adolescent Medicine*. 160(12): 1255-61.
- Zenk, S.N., Lachance, L.L., Schulz, A.J., Mentz, G., Kannan, S., and Ridella, W. (2009). Neighborhood retail food environment and fruit and vegetable intake in a multiethnic urban population. *American Journal of Health Promotion*. 23(4): 255-264.
- Zenk, S.N., Wilbur, J., Wang, E., McDevitt, J., Oh, A., Block, R., McNeil, S., & Savar, N. (2009). Neighborhood environment and adherence to a walking intervention in African American women. *Health Education and Behavior*. 36(1):167-81.
- Zhu X, & Lee, C. (2009). Correlates of Walking to School and Implications for Public Policies: Survey Results from Parents of Elementary School Children in Austin, Texas. Journal of Public Health Policy. 30:S177-S202.
- 597 Zhu, X., Arch, B., Lee, C. (2008). Personal, social, and environmental correlates of walking to school behaviors: case study in Austin, Texas. *Scientific World Journal*. 8:859-72.
- Zive, M.M., Pelletier, R.L., Sallis, J.F., Elder, J.P. (2002). An environmental intervention to improve a la carte foods at middle schools. *Journal of the American Dietetic Association*. 102(3 Suppl):S76-8.
- Ziviani, J., Scott, J., Wadley, D. (2004). Walking to school: incidental physical activity in the daily occupations of Australian children. *Occupational Therapy International*. 11(1):1-11.
- Zlot, A. I. and Schmid, T.L. (2005). Relationships among community characteristics and walking and bicycling for transportation or recreation. *American Journal of Health Promotion.* 19(4): 314-317.